


QF Clamp 3260

Cinc		0-1	vonino d C	Manl .		20400	
Size	Weight		vanized Steel		304SS		
ln.	Lbs	20ga	18ga	16ga	22ga		18ga
3	0.26						
4	0.28	C+d			Std		
5	0.31	Std			Siu		
6	0.33						
7	0.54						
8	0.59						
9	0.63		Std			Std	
10	0.68						
11	0.70						
12	1.32						
13	1.38						
14	1.48						
15	1.53						
16	1.60						
17	1.67						
18	1.77			Std			Std
19	1.85						
20	1.92						
21	1.98						
22	2.04						
23	2.10						
24	2.20						

Temperature Rating of Product Components						
° F	QF CI	amp	Gaskets			
600						
400		Optional - 304SS				
390					Optional -	
158 (intermittent to 194°)	Galvanized Steel		Nitrile	Optional - Silicone	Expanded PTFE	
-40						
-65						

Notes:

- Nordfab clamps are "overlap" design, except for certain sizes of Stainless Steel clamps which are furnished in the Danish style.
- Standard gasket installed in clamp. 3/8" gasket in clamp sizes 4" - 6", 1/2" gasket in sizes 7" - 11", 21/32" in sizes 12" - 24".
- Clamps supplied wth galvanized bridge pin. Small bridge pin with clamp sizes 4" - 6", large pin with 7" and larger size clamps.





Compliance / Rating of Product Components				
Product	Material	Compliance / Rating		
QF Clamp	Galvanized	ASTM A527 with a G-90 rating		
	304SS	Finish meets ASTM A240		
Gaskets	Nitrile	ASTM D 1056		
	Silicone	ASTM-D-2000 M1GE605 - ZZ-R-765 Class 2 Grade 50 - AMS-3302		
	100% ePTFE	Not degraded by any common chemicals (0 - 14 pH range) FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic or medical device manufacturing, processing, or packaging operations. Compressibility 52% (ASTM F-36), Sealability: .03 ml/hr (ASTM F-37-B) 30 psig/2 bar-air.		

Additional Notes

At temperatures ranging between 390° F and 480° F, the zinc-iron alloy layers in galvanized steel will continue to provide a high level of protection from corrosion. However, there may be some peeling, changes in mechanical properties, and reduction in the corrosion protection. Recommended max. service temperature is 390° F.

