

Selecting the right box:

Successful shipping starts out by choosing the correct size container. A carton that is too small will bulge and not provide space for cushioning of the product. Cartons that are too large will allow movement of the product (which is the cause of most damage during shipping) or will require too much fill to stabilize items.

STYLE: R.S.C. (REGULAR SLOTTED CONTAINER)


Measurements:

The most commonly used shipping box is a R.S.C. (Regular Slotted Container). These boxes have flaps that meet in the center when folded. Corrugated cartons' measurements are shown as L x W x D. The length is the longest side of the box, the width is the adjacent side and the depth (or height) is the distance between the scores that create the flaps. Measurements shown for cartons are inside dimensions. Multi-Depth R.S.C. cartons are pre-scored at various lengths making it easy to adjust the size of the carton by cutting down to the desired depth.



Cushioning:

Make sure to leave space on all sides and above and below product for cushioning. A minimum of 2" all around the product should be added for void fill such as bubble cushioning or loose fill.

How to Measure Length x Width x Depth




Multi-Depth (M.D.) Cut to Score Lines



CLOSURE:


Flaps:

Fold the flaps inward along the carton's width. Then close the flaps along the carton's length on top of the inner flaps so that the flaps meet square in the center.



Sealing:


Use a carton sealing tape at least 2" wide. Tape should extend at least 2" over the edges of the box.




CAPACITY:



Single Wall



Double Wall



Triple Wall

Make sure to choose a container that can support the weight of the product you are shipping.

CONTENTS	CHOOSE
Up to 65 lbs.	200#/ECT-32 Single Wall Corrugated
66 lbs. – 95 lbs.	275#/ECT-44 Single Wall Corrugated
96 lbs. – 100 lbs.	275#/ECT-48 Double Wall Corrugated
101 lbs. – 120 lbs.	350#/ECT-51 Double Wall Corrugated
121 lbs. – 280 lbs.	1100#/ECT-90 Triple Wall Corrugated
281 lbs. – 300 lbs.	1300#/ECT-155 Triple Wall Corrugated

NOTE: These are guidelines only. Weight must be distributed evenly.