# Chemsol, 12944 Farmington Rd, Livonia, MI 48150

2500 HARDENER PART B - QUART

Date Printed: 3/16/2018

Page 1 of 13

### 1. Product and Company Identification

Product Name : 2500 HARDENER PART B - QUART

Product Code : PTB-2500-QT

Recommended Use: Please refer to Product Information/Technical Data Sheet.

Company Identification:

Chemsol

12944 Farmington Rd. Livonia, MI 48150

Information Phone: 888-697-6001 Emergency Phone: 703-527-3887

#### 2. Hazards Identification

EMERGENCY OVERVIEW

#### DANGER

Acute Toxicity, Category 1 Skin Corrosion, Category 1A Serious Eye Damage, Category 1 Causes severe skin burns and eye damage, Category 1 Chronic, Respiratory Sensitizer, Category 1; Skin Sensitizer, Category 1B May be corrosive to metals





Potential Health Effects

Eye:

This product is a primary eye irritant and corrosive effects were indicated by animal studies. Can cause eye irritation.

Skin:

May cause moderate irritation. May cause allergic skin reactions and sensitization. Can cause redness, itching, and burning sensation. Causes skin irritation.

## Chemsol, 12944 Farmington Rd, Livonia, MI 48150

2500 HARDENER PART B - QUART

Date Printed: 3/16/2018

Page 2 of 13

Ingestion:

If swallowed, call a poison control center or physician if you feel unwell. Rinse mouth.

Inhalation:

May cause an allergic respiratory response in some susceptible individuals. This response can range from mild wheezing

to a severe asthmatic type attack. May cause drowsiness or dizziness.

Chronic (Cancer) Information:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probably, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Teratology (Birth Defects) Information:

INFORMATION NOT AVAILABLE.

Reproduction Information:

INFORMATION NOT AVAILABLE.

Aggravation of Pre-Existing Conditions:

Dermititis or other skin conditions.

#### 3. Composition/Information on Ingredients

Component	CAS#	% by Wt.
POLYAMIDO AMINE NONE ESTABLISHED; CAUSES SEVERE SKIN AND EYE IF	68605-86-7 RRITATION OR BURNS	49
TOFA REACTION PRODUCTS W/TEPA	68953-36-6	27
EPOXIDIZED OLEIC ACID REACTION PRODUCTS W/TEPA	68298-14-6	9
AMORPHOUS SILICA	67762-90-7	7
ACGIH: 10 MG/M3 TWA, TOTAL DUST		
ACGIH: 3 MG/M3 TWA, RESPIRABLE DUST		
OSHA PEL: 6 MG/M3 TWA		
4-TERT-BUTYLPHENOL	98-54-4	4
NONE ESTABLISHED		
M-XYLENEDIAMINE	1477-55-0	2
OSHA OEL: 0.1 mg/m3 (CEILING); SKIN DESIGNATION		

1

# Chemsol, 12944 Farmington Rd, Livonia, MI 48150

2500 HARDENER PART B - QUART

Date Printed: 3/16/2018

Page 3 of 13

ACGIH TLV: 0.1 mg/m3 (CEILING); SKIN DESIGNATION

CAUSES SEVERE IRRITATION AND BURNS, POSSIBLE ALLERGIC REACTION

1,5-PENTANEDIAMINE, 2-METHYL 15520-10-2

CAUSES RESPIRATORY SENSITIZATION CAUSES SEVERE IRRITATION AND BURNS

### 4. First Aid Measures

### Eyes:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

#### Skin:

If on skin: wash with plenty of soap & water. If skin irritation occurs: Get Medical advice/attention.

Take off contaminated clothing and wash it before reuse.

#### Ingestion:

If swallowed: Immediately call a poison center/physician.

Do NOT induce vomiting.

#### Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison control center/get medical attention if you feel unwell.

Note to Physicians:

INFORMATION NOT AVAILABLE.

### 5. Fire Fighting Measures

Flammable Properties:

Flash Point: 220 F Method:

Explosive Limits:

Lower explosive limit: n/a Upper explosive limit: n/a

Autoignition Temperature:

INFORMATION NOT AVAILABLE.

Hazardous Combustion Products:

Smoke, soot and carbon dioxide, carbon monoxide.

Extinguishing Media:

Dry chemical, CO2, Halon, Foam

Firefighting Procedures:

## Chemsol, 12944 Farmington Rd, Livonia, MI 48150

2500 HARDENER PART B - QUART

Date Printed: 3/16/2018

Page 4 of 13

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: High temperatures can cause sealed containers to rupture due to a build up of

internal pressure. Cool with water spray. Vapors are heavier than air and can travel some distance away and flash

back.

Sensitivity to Static Discharge: Material may accumulate a static charge which could act as an ignition source.

Precautions should be taken when pouring to minimize splash/free fall.

#### 6. Accidental Release Measures

Small Spill:

See Information for Large Spill, below:

Large Spill:

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to

safe areas. Beware of vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

Environmental Precautions:

INFORMATION NOT AVAILABLE.

Methods/Materials for Containment and Cleaning Up:

Contain spillage, and then collect with non-combustible absorbent material,

(e.g. sand earth, diatomaceous earth,

vermiculite) and place in container for disposal according to

local/state/federal regulations.

### 7. Handling and Storage

Handling:

INFORMATION NOT AVAILABLE.

Storage:

Prevent unauthorized access.

Store in a well ventilated place.

Keep container tightly closed.

Keep cool.

#### 8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

SEE SECTION 3 FOR THIS INFORMATION

Engineering Controls:

Ventilation: Good general ventilation (typically 10 air changes per hour)

should be used.

# Chemsol, 12944 Farmington Rd, Livonia, MI 48150

2500 HARDENER PART B - OUART

Date Printed: 3/16/2018

Page 5 of 13

Ventilation rates should be matched to conditions.

Ventilation should be explosion proof.

Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special

circumstances such as poorly ventilated spaces, spray painting, mechanical generation of dusts, heating, drying, etc.

Personal Protective Equipment

Respiratory Protection:

If engineering controls do not maintain airborne concentrations to an acceptable level, an approved respirator must be

worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance

with OSHA Standard 63 CFR 1152, January 8, 1998. Respirator type: Organic Vapor.

Skin Protection:

Wear impervious gloves to prevent skin contact.

Recommended Decontamination Facilities: eye bath, washing facilities, safety shower.

Eye Protection:

Chemical safety goggles or glasses with side shields.

#### 9. Physical and Chemical Properties

Boiling Point: n/a

Melting Point:

INFORMATION NOT AVAILABLE.

Freezing Point: n/a

Vapor Pressure:

Information not available for mixture

Vapor Density: HEAVIER THAN AIR Solubility in Water:

botability in water

NEGLIGIBLE

Evaporation Rate: SLOWER THAN ETHER

Specific Gravity: 1.001

Coating VOC: 0.03 lb/gl

Material VOC: 0.03 lb/gl

Odor:

INFORMATION NOT AVAILABLE.

## Chemsol, 12944 Farmington Rd, Livonia, MI 48150

2500 HARDENER PART B - QUART Date Printed: 3/16/2018

Page 6 of 13

Appearance:

Liquid.

Partition Coefficient:

INFORMATION NOT AVAILABLE.

### 10. Stability and Reactivity

Chemical Stability (Conditions to Avoid):
Stable under normal storage/use conditions.
Incompatibility:
Avoid strong oxidizing agents, acids and alkalies.
Hazardous Decomposition Products:
INFORMATION NOT AVAILABLE.
Hazardous Polymerization:
Will not occur under normal conditions.

### 11. Toxicological Information

Eye Irritation/Damage: Component 1477-55-0:

```
Serious eye damage, Category 1
Component 67762-90-7:
Non-irritating.
Component 15520-10-2:
Serious eye damage, Category 1
Component 68605-86-7:
Serious eye damage, Category 1
Components 68953-36-6 & 68298-14-6:
Serious eye damage, Category 1
Component 98-54-4:
Serious eye damage, Category 1
Skin Irritation/Damage:
Component 1477-55-0:
LD50: no data
Corrosive to skin, Category 1A
Component 67762-90-7:
LD50: No data, Non-irritating.
Component 15520-10-2:
LD50: no data
Corrosive to skin, Category 1A
Component 68605-86-7:
LD50: 800 mg/kg, rat. Category 3
Extremely corrosive to skin, Category 1B
Components 68953-36-6 & 68298-14-6:
LD50: 1700 mg/kg, rat. Category 4
Extremely corrosive to skin, Category 1B
Component 98-54-4:
LD50: no data
```

## Chemsol, 12944 Farmington Rd, Livonia, MI 48150

```
2500 HARDENER PART B - OUART
Date Printed: 3/16/2018
Page 7 of 13
Corrosive to skin, Category 1A
Acute Oral Toxicity:
Component 1477-55-0:
LD50: no data
Component 67762-90-7:
LD50: >5000 mg/kg, rat. Not Categorized.
Component 15520-10-2 :
LD50: 1.69 mg/kg, rat. Category 1.
Component 68605-86-7:
LD50: 4340, rat. Not categorized.
Components 68953-36-6 & 68298-14-6:
LD50: 1200-1600, rat. Category 4.
Component 98-54-4:
LD50: no data
Acute Inhalation Toxicity:
Component 1477-55-0:
LC50: no data
Component 67762-90-7:
No data
Component 15520-10-2:
LC50: 4.9 mg/L (1029 ppm), rat. Category 3.
Component 68605-86-7:
No data
Components 68953-36-6 & 68298-14-6:
No data
Component 98-54-4:
LC50: no data
Respiratory/Skin Sensitization:
Component 1477-55-0:
May cause skin sensitization and/or respiratory sensitization, RESULTING IN
ALLERGIC RESPIRATORY REACTIONS INCLUDING
WHEEZING, SHORTNESS OF BREATH AND DIFFICULTY BREATHING.
Component 67762-90-7:
No evidence of respiratory or skin sensitization.
Component 15520-10-2:
May cause skin sensitization and/or respiratory sensitization, RESULTING IN
ALLERGIC RESPIRATORY REACTIONS INCLUDING
WHEEZING, SHORTNESS OF BREATH AND DIFFICULTY BREATHING.
May cause skin sensitization and/or respiratory sensitization, RESULTING IN
ALLERGIC RESPIRATORY REACTIONS INCLUDING
WHEEZING, SHORTNESS OF BREATH AND DIFFICULTY BREATHING.
Components 68953-36-6 & 68298-14-6:
May cause skin sensitization and/or respiratory sensitization, RESULTING IN
ALLERGIC RESPIRATORY REACTIONS INCLUDING
WHEEZING, SHORTNESS OF BREATH AND DIFFICULTY BREATHING.
Component 98-54-4:
```

# Chemsol, 12944 Farmington Rd, Livonia, MI 48150

2500 HARDENER PART B - QUART

```
Date Printed: 3/16/2018
Page 8 of 13
May cause skin sensitization and/or respiratory sensitization, RESULTING IN
ALLERGIC RESPIRATORY REACTIONS INCLUDING
WHEEZING, SHORTNESS OF BREATH AND DIFFICULTY BREATHING.
Carcinogenicity:
Component 1477-55-0:
Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH.
Component 67762-90-7:
Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH
Component 15520-10-2:
Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH.
Component 68605-86-7:
Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH
Components 68953-36-6 & 68298-14-6:
Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH
Component 98-54-4:
Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH.
Reproductive Toxicity:
Component 1477-55-0:
No data
Component 67762-90-7:
No evidence of human reproductive toxicity.
Component 15520-10-2:
No data
Component 68605-86-7:
No data.
Components 68953-36-6 & 68298-14-6:
No data.
Component 98-54-4:
No data
Germ Cell Mutagenicity:
Component 1477-55-0:
No data
Component 67762-90-7:
No data
Component 15520-10-2:
No data
Component 68605-86-7:
No data
Components 68953-36-6 & 68298-14-6:
No data
Component 98-54-4:
No data
Aspiration Toxicity:
Component 1477-55-0:
Not classified as an Aspiration Hazard.
Component 67762-90-7:
```

## Chemsol, 12944 Farmington Rd, Livonia, MI 48150

2500 HARDENER PART B - QUART

```
Date Printed: 3/16/2018
Page 9 of 13
Not classified as an Aspiration Hazard.
Component 15520-10-2:
Not classified as an Aspiration Hazard.
Component 68605-86-7:
Not classified as an Aspiration Hazard.
Components 68953-36-6 & 68298-14-6:
Not classified as an Aspiration Hazard.
Component 98-54-4:
Not classified as an Aspiration Hazard.
STOT-single exposure
Component 1477-55-0
No data
Component 67762-90-7:
No data
Component 15520-10-2:
No data
Component 68605-86-7:
No data
Components 68953-36-6 & 68298-14-6:
No data
Component 98-54-4:
No data
STOT-repeated exposure
Component 1477-55-0:
No data
Component 67762-90-7:
No data
Component 15520-10-2:
No data
Component 68605-86-7:
No data
Components 68953-36-6 & 68298-14-6:
No data
Component 98-54-4:
No data
Routes of Exposure:
Inhalation of vapors, skin/eye/mucous membrane absorption, ingestion.
```

#### 12. Ecological Information

```
Environmental Toxicity:
Component 1477-55-0:
No data
Component 67762-90-7:
LC50: <10,000 mg/l (fish); EC50: <1,000 mg/l (daphnia); EC50: <10,000 mg/l (algae)</pre>
```

# Chemsol, 12944 Farmington Rd, Livonia, MI 48150

```
2500 HARDENER PART B - QUART
Date Printed: 3/16/2018
Page 10 of 13
Component 15520-10-2:
No data
Component 68605-86-7:
No data
Components 68953-36-6 & 68298-14-6:
No data
Component 98-54-4:
No data
Persistance & degradability:
Component 1477-55-0:
No data
Component 67762-90-7:
No data
Component 15520-10-2:
No data
Component 68605-86-7:
No data
Components 68953-36-6 & 68298-14-6:
No data
Component 98-54-4:
No data
Bioaccumulative potential:
Component 1477-55-0:
No data.
Component 67762-90-7:
Not expected to bioaccumulate.
Component 15520-10-2:
No data.
Component 68605-86-7:
No data
Components 68953-36-6 & 68298-14-6:
No data
Component 98-54-4:
No data.
Mobility in soil:
Component 1477-55-0:
No data
Component 67762-90-7:
No data
Component 15520-10-2:
No data
Component 68605-86-7:
No data
Components 68953-36-6 & 68298-14-6:
No data
Component 98-54-4:
No data
```

## Chemsol, 12944 Farmington Rd, Livonia, MI 48150

2500 HARDENER PART B - QUART

Date Printed: 3/16/2018

Page 11 of 13

Other Adverse Ecological Effects:

No information

#### 13. Disposal Considerations

Waste Disposal Method:

Discharge, treatment or disposal is subject to national, state, or local laws.

When a decision is made to discard this

material as supplied, it meets RCRA's characteristic definition of ignitability.

The toxicity characteristic (TC) has

not been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP).

Federal Regulations may apply to empty container. State and/or local

regulations may be different.

Of the methods of disposal currently available, it is recommended that an

alternative be selected according to the

following order of preference, based upon environmental acceptability: (1)

recycle or rework, if feasible; (2)

incinerate at an authorized facility; or (3) treat at an acceptable waste

treatment facility.

Be sure to contact the appropriate government environmental agencies if further

quidance is required.

### 14. Transport Information

Domestic (Land, DOT), International (Water, IMO/IMDG), International (Air, ICAO)

Road and Rail (ADR/RID), Air (ICAO/IATA), Vessel (IMO/IMDG):

DOT (USA) Shipping Name: PAINT RELATED MATERIAL, CORROSIVE

UN/NA ID No: UN3066

Hazard Class: Class 8 (IATA/49CFR)

Packing Group: II

Environmental Hazards:

INFORMATION NOT AVAILABLE.

Marine Pollutant:

Components of this product do not appear on the list of Marine Pollutants (49CFR

172.101)

Special Precautions for User:

INFORMATION NOT AVAILABLE.

### 15. Regulatory Information

U.S. Federal Regulations:

TSCA: All components of this material are on the

US TSCA 8(b) Inventory or are exempt from listing.

OSHA:

## Chemsol, 12944 Farmington Rd, Livonia, MI 48150

2500 HARDENER PART B - OUART

Date Printed: 3/16/2018

Page 12 of 13

This product is hazardous under OSHA's Hazard Communication Std. Not regarded as a health hazard under current

legislation.

CERCLA: SARA Hazard Category:

INFORMATION NOT AVAILABLE.

Section 313:

"\*" Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

International Regulations:

Canadian WHMIS:

INFORMATION NOT AVAILABLE.

Canadian Environmental Protection Act (CEPA):

INFORMATION NOT AVAILABLE.

EINECS:

INFORMATION NOT AVAILABLE.

State Regulations:

INFORMATION NOT AVAILABLE.

Volatile Organic Compounds:

COATING VOC content is being expressed as mass of VOC per unit volume of coating less water and exempt solvents, where  $\frac{1}{2} \left( \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} \right) \left($ 

applicable.

MATERIAL VOC content is the actual weight of VOC per unit volume.

#### 16. Other Information

Date Revised: 08/03/17

Prepared By: Regulatory Compliance

Information Contact: Regulatory Compliance 413-592-4191 ext 106

Manufacturer Disclaimer:

USERS RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the

user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to

determine if, or where, precautions - in addition to those described herein - are required. Any health hazard and

safety information herein should be passed on to your customers or employees, as the case may be.

DISCLAIMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate.

However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no

liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be

used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards

which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No

## Chemsol, 12944 Farmington Rd, Livonia, MI 48150

2500 HARDENER PART B - QUART

Date Printed: 3/16/2018

Page 13 of 13

representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any

other nature are made hereunder with respect to the information contained herein or the chemical to which the

information refers. These data relate only to the specific material designated herein and do not relate to use in

combination with any other material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

End of Material Safety Data Sheet