**RENEW** 

SDS Revision Date:





#### 1. Identification

1.1. Product identifier

Product Identity RENEW

Alternate Names 70-199, 70-198, 70-200, Blended Formula

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name ComStar International Inc.

20-45 128th Street,

College Point, NY 11356

**Telephone No.** 718-445-7900

800-328-0142 Fax: 718-353-5998

## 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Skin Corr: 1A;H314 Causes severe skin burns and eye damage

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



#### [Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P271 Use only outdoors or in a well-ventilated area.

**RENEW** 

SDS Revision Date:

04/02/2015



[Response]:

P301+330+331: If swallowed: rinse mouth. Do not induce vomiting.

P303+361+353: If on skin: remove all contaminated clothing. Rinse skin with water/shower.

P304: If inhaled: Remove victim to fresh air and keep at rest for easy breathing

P305+351+338: If in eyes: Rinse continuously with water for several minutes. Remove contact lenses, continue

rinsing.

P312: Call a POISON CENTER or doctor / physician if you feel unwell.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
AMMONIUM WATER SOLUTION CONTAINS 1341-49-7	<4	Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 3 H402	[1][2]
SURFACTANT PACKAGE , No CAS#	<3	Not Classified	Not Classified
SILICONE POLYMER CAS#: 63148-62-9	>3	Not Classified	Not Classified
OXYBIS DISODIUM SALT CAS#: 70146-13-3	>3	Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	[1][2]
WATER CAS#: N/A	Balance	Acute toxicity, Oral 4 Specific target organ toxicity - repeated exposure 2	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

#### **RENEW**

SDS Revision Date: 04/02/2015



Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.

See section 2 for further details.

**Inhalation** Harmful if inhaled.

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

Water fog, C02, dry chemical, universal foams

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

#### 5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

ERG Guide No. ---

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

## 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Preventation of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from

# Safety Data Sheet RENEW SDS Revision Date:



04/02/2015

heat, sunlight and moisture.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizing agents, alkali metals

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
CONTAINS 1341-49-7	AMMONIUM WATER SOLUTION	OSHA	2 mg/m3
		ACGIH	2 mg/m3
		NIOSH	2 mg/m3
		Supplier	No Established Limit
None	SURFACTANT PACKAGE	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
CAS#: 63148-62-9	SILICONE POLYMER	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
70146-13-3 OXYBIS DISODIUM SALT	OXYBIS DISODIUM SALT	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
N/A	WATER	OSHA	50 ppm
		ACGIH	100 ppm
		NIOSH	50 ppm
		Supplier	No Established Limit

## Safety Data Sheet RENEW

SDS Revision Date:





#### Carcinogen Data

CAS No.	Ingredient	Source	Value	
CONTAINS 1341-49-7 AMMONIUM WATER SOLUTION		OSHA	Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
None	lone SURFACTANT PACKAGE		Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
63148-62-9 SILICONE POLYMER		OSHA	Select Carcinogen: No	
			Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
70146-13-3 OXYBIS DISODIUM SALT		OSHA	Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
N/A WATER		OSHA	Select Carcinogen: No	
			Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	

#### 8.2. Exposure controls

**Respiratory** If engineering controls do not maintain airborne concentrations to an acceptable level, a

NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to

assure Compliance with OSHA Standard 29 CFR 1910.134.

**Eyes** Safety glasses with side shields, goggles or face shield are recommended.

**Skin** Wear overalls to keep skin contact to a minimum.

**Engineering Controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation

rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc.

Recommended Decontamination Facilities: Eye bath, washing facilities.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

### 9. Physical and chemical properties

AppearanceLiquidOdorSlight odor

**RENEW** 

SDS Revision Date: 04/02/2015



Odor threshold Not Measured
pH Not Measured
Melting point / freezing point Not Measured

Initial boiling point and boiling range 370 F/188 C

Flash Point None

Evaporation rate (Ether = 1) Not Measured Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits

Lower Explosive Limit: 135C(275F): NA

Upper Explosive Limit: 199C(390F): NA

Vapor pressure (Pa)6 mmHg (at 70 F)Vapor DensityNot MeasuredSpecific Gravity> 2 (H20 = 1)Solubility in WaterCompletePartition coefficient n-octanol/water (Log Kow)Not Measured

Auto-ignition temperature (ASTM D 2155): NA

Decomposition temperature (ASTM D 2133). NA

Not Measured

Viscosity (cSt) 25C/77F: NA

Volatiles (% by weight)

Octanol/Water Partition Coefficient

NA

**9.2. Other information**No other relevant information.

## 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

Strong Oxidizers

#### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

## 11. Toxicological information

## Safety Data Sheet RENEW

SDS Revision Date:

04/02/2015



#### **Acute toxicity**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
AMMONIUM WATER SOLUTION CONTAINS 1341-49-7	35156 mg/kg	1350 mg/kg	No data available	No data available	No data available
SURFACTANT PACKAGE , No CAS#	> 2000 (mg/kg)	7630 mg/kg	No data available	No data available	No data available
SILICONE POLYMER CAS#: 63148-62-9	No data available	No data available	No data available	No data available	No data available
OXYBIS DISODIUM SALT (70146-13-3)	No data available	No data available	No data available	No data available	No data available
WATER (N/A)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

## 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### RENEW

SDS Revision Date:

04/02/2015

ICAO/IATA



#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
AMMONIUM WATER SOLUTION CONTAINS 1341-49-7	45.4 mg/l	40.38 mg/	Not Available
SURFACTANT PACKAGE , No CAS#	> 1000.0 mg/L	> 1000.0 mg/L	> 1000.0 mg/L
SILICONE POLYMER CAS#: 63148-62-9	Not Available	Not Available	Not Available
OXYBIS DISODIUM SALT (70146-13-3)	Not Available	Not Available	Not Available
WATER (N/A)	Not Available	Not Available	Not Available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

14.1. **UN** number

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean Transportation) Transportation)

UN 1760 UN 1760 UN 1760
Ammonium Ammonium Ammonium

**14.2. UN proper**Ammonium
Ammonium
Ammonium
Hydrogenbifluoride Mixture,
Hydrogenbifluoride Mixture,
Hydrogenbifluoride Mixture,

14.3. Transport DOT Hazard Class: 8 IMDG: 8 Air Class: 8

hazard class(es) Sub Class: Not Applicable

14.4. Packing group || || ||

14.5. Environmental hazards

**IMDG** Marine Pollutant: No

14.6. Special precautions for user

**RENEW** 

**SDS Revision Date:** 

04/02/2015



No further information

## 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA)

All components of this material are either listed or exempt from listing on the TSCA

Inventory.

WHMIS Classification Not Regulated

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Extremely Hazardous:**

SODIUM HYDROXIDE

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **New Jersey RTK Substances (>1%):**

Ammonium Hydrogenbifluoride

#### Pennsylvania RTK Substances (>1%):

Ammonium Hydrogenbifluoride

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

## Safety Data Sheet RENEW

**SDS Revision Date:** 

04/02/2015



H302 Harmful if swallowed.

H331 Toxic if inhaled.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

**End of Document**