

#### Revision Date 27-Jul-2015

Version 1

SAFETY DATA SHEET

Category 2

1. IDENTIFICATION			
<u>Product identifier</u> Product Name	VERSACHEM EXHAUST/TAILPIPE REPAIR KIT		
<u>Other means of identification</u> Product Code Synonyms	90100 None		
<u>Recommended use of the chemica</u> Recommended Use Uses advised against	<u>I and restrictions on use</u> Automotive Care Product No information available		
Details of the supplier of the safety Manufacturer Address ITW Permatex 10 Columbus Blvd. Hartford, CT 06106 USA	<u>v data sheet</u> <u>Distributor</u> ITW Permatex Canada 35 Brownridge Road, Unit 1 Halton Hills, ON Canada L7G 0C6 Telephone: (800) 924-6994		
Company Phone Number 24 Hour Emergency Phone Numbe	1-87-Permatex (877) 376-2839 r Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453		
E-mail address	mail@permatex.com		
	2. HAZARDS IDENTIFICATION		

# **Classification**

# OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Carcinogenicity

# Label elements

**Emergency Overview** 

# Warning

Suspected of causing cancer



Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

# Other Information

Not applicable

Unknown acute toxicity

16.5 % of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
REFRACTORY CERAMIC FIBERS (RCF)	142844-00-6	60 - 100	*
ACRYLIC ACID, POLYMERS	9003-01-4	1 - 5	*
		1-5	

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

# **Description of first aid measures General advice** Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eye contact present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Skin contact IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse. Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician. IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an Ingestion unconscious person. Call a physician.

elf-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.				
Most important symptoms and effect	cts, both acute and delayed			
Symptoms	See section 2 for more information.			
Indication of any immediate medica	I attention and special treatment needed			
Note to physicians	Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media Carbon dioxide (CO2), Dry chemical, I	Foam			
<u>Unsuitable extinguishing media</u> None.				
Specific hazards arising from the cl None in particular.	nemical			
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.			
<u>Protective equipment and precautic</u> As in any fire, wear self-contained bre protective gear.	ons for firefighters athing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective eq	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective eq				
	uipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin			
Personal precautions	uipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.			
Personal precautions <u>Environmental precautions</u>	Luipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.			
Personal precautions <u>Environmental precautions</u> Environmental precautions	Luipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.			
Personal precautions <u>Environmental precautions</u> Environmental precautions <u>Methods and material for containmental</u>	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.			
Personal precautions <u>Environmental precautions</u> Environmental precautions <u>Methods and material for containment</u> Methods for containment	puipment and emergency procedures         Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.         Use personal protective equipment as required.         Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.         ent and cleaning up         Prevent further leakage or spillage if safe to do so.			
Personal precautions <u>Environmental precautions</u> Environmental precautions <u>Methods and material for containment</u> Methods for containment Methods for cleaning up	uipment and emergency procedures         Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.         Use personal protective equipment as required.         Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.         ent and cleaning up         Prevent further leakage or spillage if safe to do so.         Sweep up and shovel into suitable containers for disposal.			
Personal precautions <u>Environmental precautions</u> Environmental precautions <u>Methods and material for containment</u> Methods for containment Methods for cleaning up	uipment and emergency procedures         Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.         Use personal protective equipment as required.         Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.         ent and cleaning up         Prevent further leakage or spillage if safe to do so.         Sweep up and shovel into suitable containers for disposal.         Clean contaminated objects and areas thoroughly observing environmental regulations.			
Personal precautions Environmental precautions Environmental precautions Methods and material for containment Methods for containment Methods for cleaning up Prevention of secondary hazards	uipment and emergency procedures         Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.         Use personal protective equipment as required.         Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.         ent and cleaning up         Prevent further leakage or spillage if safe to do so.         Sweep up and shovel into suitable containers for disposal.         Clean contaminated objects and areas thoroughly observing environmental regulations.			

Incompatible materials

Strong oxidizing agents

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
REFRACTORY CERAMIC FIBEI (RCF) 142844-00-6	TWA: 0.2 fiber/cm3 respirable fibers: length >5 μm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination	-	-	
Appropriate engineering co	ntrols			
Engineering Controls	Showers Eyewash stations			

Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Solid Gray None No information available	
Property	<u>Values</u>	Remarks • Method
рН	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Relative density	No information available	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	

Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties Other Information	No information available No information available No information available No information available No information available
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	0
Density	No information available
Bulk density	No information available

# **10. STABILITY AND REACTIVITY**

#### Reactivity No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# Conditions to avoid

Excessive heat.

#### Incompatible materials Strong oxidizing agents

# Hazardous Decomposition Products

Carbon oxides

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ACRYLIC ACID, POLYMERS 9003-01-4	= 2500 mg/kg(Rat)	-	-

# Information on toxicological effects

Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.			
Germ cell mutagenicity	No information available.			
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.			
Chemical Name	ACGIH	IARC	NTP	OSHA

# 90100 - VERSACHEM EXHAUST/TAILPIPE REPAIR KIT

REFRACTORY CERAMIC FIBERS (RCF) 142844-00-6	A2	Group 2B	Reasonably Anticipated	Х
ACRYLIC ACID,	-	Group 3	-	-
POLYMERS				
9003-01-4				

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

#### The following values are calculated based on chapter 3.1 of the GHS document . 59643 mg/kg ATEmix (oral)

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

96.5 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Not regulated

Chemical Name	Algae/aquatic plants	Fish	Crustacea
ACRYLIC ACID, POLYMERS	-	580: 96 h Lepomis macrochirus	168: 96 h water flea mg/L EC50
9003-01-4		mg/L LC50	

# Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

#### Mobility

No information available.

# Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

# **14. TRANSPORT INFORMATION**

# DOT

Proper shipping name:

# ΙΑΤΑ

Proper shipping name:

Not regulated

Not regulated

IMDG

Proper shipping name:

**15. REGULATORY INFORMATION** 

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not determined
ENCS	Not determined
IECSC	Complies
KECL	Not determined
PICCS	Not determined
AICS	Not determined

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
REFRACTORY CERAMIC FIBERS (RCF) - 142844-00-6	Carcinogen

#### U.S. State Right-to-Know Regulations

		Chemical Name	New Jersey	Massachusetts	Pennsylvania
--	--	---------------	------------	---------------	--------------

# 90100 - VERSACHEM EXHAUST/TAILPIPE REPAIR KIT

REFRACTORY CERAMIC FIBERS	Х	-	-
(RCF)			
142844-00-6			

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA	Health hazards 1	Flammability 0	Instability 0	-
HMIS	Health hazards 1	Flammability 0	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

# Revision Date 27-Jul-2015

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet