

25 Foot Telescoping Light Mast - 12-25' Fold Over Three Stage Light Tower - 360° Rotating Boom

Part #: LM-25-3S

**Made in the USA**

The Larson Electronics LM-25-3S fold over 3-stage light mast winches provides a safe and effective way for operators to quickly deploy lights, security cameras and other equipment to elevations of up to twenty-five feet. This light tower folds over for easy transportation, features a rotating boom that allows for 360° of rotation, and a removable mast head for storing mounted equipment when not in use.

PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO LIGHT MASTS OR LIGHT TOWERS

This telescoping three stage steel light mast from Larson Electronics' is designed to allow operators to quickly and safely deploy lighting, cameras, and other electrical equipment in locations where this equipment must be elevated to heights up to 25' for effective coverage. This light boom can be extended to 25' for maximum area coverage and collapsed to 12' for applications where a smaller footprint is required. The tower is constructed of square steel tubing with a lower section 10' in length and 4" by 4" by 1/8" thick, middle section 9.5' in length and 3" by 3" by 1/8" thick, and an upper section 8.5' and 2" by 2" by 1/8" thick. Each section has a 1' overlap. The mast is elevated using an included 1,000 lbs hand winch with 3/16" cable and extended to its full height using a second 1,000 lbs hand winch.




[Click Image to Enlarge](#)



[Click Image to Enlarge](#)



[Click Image to Enlarge](#)



[Click Image to Enlarge](#)




[Click Image to Enlarge](#)




[Click Image to Enlarge](#)



[Click Image to Enlarge](#)



[Click Image to Enlarge](#)



[Click Image to Enlarge](#)

The LM series of towers are powder coated with glossy blue finish for corrosion resistances and aesthetics. These light masts are typically mounted to trailers or other stable surfaces via a 15" by 13" by 1/4" thick mounting base-plate which has been drilled to accept six 9/16" anchor bolts. A 44" wide and 2" by 2" by 1/4" thick mounting plate is attached to the upper section of the mast which provides a strong and stable platform for light fixtures and equipment.

The LM family of telescoping towers feature a proprietary mast guidance system, which provides increased stability during high winds. When lowered to 12', the mast can withstand winds up to 125 mph. When elevated to its full upright position, the mast can be rotated a full 360°. By loosening the T-Handle, operators can rotate the mast with ease in either direction. The mast can be positioned in one of four different directions, and locked back in place by re-tightening the T-handle. The mast itself spins freely, and can typically be rotated with a single hand.

This light tower weighs approximately 315 lbs and can easily support and lift 150 lbs fixtures. The entire tower assembly is shipped via common freight carrier and when shipped measures approximately 16.5' long, 4' wide, 5' tall and weighs approximately 1200 lbs. Larson Electronics can custom tailor these units to the customer's requirements with longer sections and larger mounting plates. We also offer a choice of either the manual 1,000 lbs hand winches included standard or optional electric winches.

Suggested Applications: Temporary lighting, construction sites, and security camera deployment. We can equip this mast with 1000W or 1500W Metal Halide lights or a wide variety of high powered LED lights with comparable power, including the LED10WSA-160, LEDLB-200X2E, LEDLB-160X2E or LEDLB-80x2E.

Specifications / Additional Information

LM-25-3S - 25' Three Stage Telescoping Light Tower

Length: Telescoping from 12' to 25'

Weight: +-315 lbs

Capacity: 150 lbs

Materials: Steel

Finish: Powder Coated - Gloss Blue

Operation: (2) 1,000lbs Manual Winches, Electric Optional

Cable: 3/16" Aircraft Cable

Mounting: 1/4" thick, 13"x15" Base Plate

Anchor Bolts: (6) 9/16" Bolts

Shipping: Common Freight

Shipping Dimensions: 16.5'-L x 4'-W x 5'-H

Shipping Weight: +-1200 lbs

Options: Length- Mounting-Fixtures/ Call Us for Special Requirements **E-mail:** sales@larsonelectronics.com

3 year warranty replacement on this light mast. The customer ships the failed light mast to Larson Electronics at their expense. If the failure is a manufacturer defect, we will repair and/or replace the unit.

Scroll Down to Purchase-

[Part #: LM-25-3S \(49731\)](#)

Quick Summary

12' to 25' Foot Light Mast

Steel Construction

Power Coated Finish

Removable Mast Head

125 mph Wind Resistance

Manual or Optional Electric Operation

Special Orders- Requirements

Contact us for special requirements

Phone: 1-214-616-6180

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364







Links (Click on the below items to view):

- [Dimensional Drawing](#)
- [STEP](#)
- [EASM](#)
- [Hi-Res Image 1](#)
- [Hi-Res Image 2](#)

- Hi-Res Image 3
- Hi-Res Image 4
- Hi-Res Image 5
- Hi-Res Image 6
- Hi-Res Image 7
- Hi-Res Image 8
- Hi-Res Image 9
- Hi-Res Image 10