



SAFETY DATA SHEET

SECTION I: PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME: HazMat SOCK – (S4Y-S8Y)

Distribution Location:

Chemtex, Inc.

1 Front Street

Cumberland RI 02864

Customer Service Telephone Number: 1-401-305-3030

Emergency phone number: 1-877-431-0200

Date Prepared: 01/28/2015

SECTION II: HAZARDOUS IDENTIFICATION



GHS Classification: Not a dangerous substance according to GHS

POTENTIAL HEALTH EFFECTS:

Eye Contact: May cause irritation
Ingestion: No hazard in normal use of product
Inhalation: No hazard in normal use of product
Skin Contact: Not applicable
Chronic: Not applicable

SECTION III: COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENTS</u>	<u>PERCENT</u>	<u>CAS NUMER</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Polypropylene	>99.8%	9003-07-0	N/A	N/A
Sulfactant	<0.2%	N/A	N/A	N/A

SECTION IV: FIRST AID MEASURES

EYE CONTACT: If dust in eye, flush with water for 5 min. then contact physician
SKIN CONTACT: If molten material comes in contact with skin, cool under ice water or a running stream of water. Do not attempt to remove molten material from the skin. Get medical attention. If not molten, then wash with soap and water.
INHALATION: Remove to fresh air. If symptoms persist, contact physician.
INGESTION: Not considered harmful.

SECTION V: FIRE FIGHTING MEASURES

FLASH POINT:	>329° C (625° F)
AUTO IGHITION :	>357° C (675° F)
FIRE EXTINGUISHING MEDIA:	Water, Foam, CO2, Dry Chemical
SPECIAL FIRE FIGHTING PROCEDURES:	Wear a self-contained breathing apparatus and refer to MSDS for absorbed liquids.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	Refer to MSDS for absorbed liquids. Sock does not render liquids non-flammable, neutral or less-hazardous. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the MSDS for the chemical absorbed before proceeding.

SECTION VI: ACCIDENTAL RELEASE MEASURES

If material is unused: sweep or vacuum product and dispose of as a non-hazardous material. If sweeping, dampen with water spray to avoid creating dust.

If used: Refer to MSDS for absorbed liquids. Sock does not render liquids non-flammable, neutral or less-hazardous.

SECTION VII: HANDLING AND STORAGE

Avoid puncturing or tearing outer material to avoid creating dust. Store in dry area. Do not store near open flame, high heat, strong oxidants, or halogenated hydrocarbons. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the MSDS for the chemical absorbed before proceeding.

SECTION VIII: EXPOSURE CONTROLS/ PERSONAL PROTECTION

RESPIRATORS:	None Required
PROTECTIVE GLOVES:	None Required
EYE PROTECTION:	Safety glasses with side shields are recommended as a good practice for industrial safety.
OTHER PROTECTIVE EQUIPMENT (SPECIFY):	None Required

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Yellow particles enclosed in a yellow polypropylene sock & virtually odor free
SPECIFIC GRAVITY (H ² O=1):	0.9
BOILING POINT (C):	N/A
MELTING POINT (C):	>160° C (320° F)
SOLUBILITY IN WATER:	Insoluble
EVAPORATION RATE:	N/A
VAPOR PRESSURE (mm Hg):	N/A
VAPOR DENSITY (Air = 1):	N/A
EXPLOSIVE PROPERTIES:	N/A

SECTION X: STABILITY AND REACTIVITY

GENERAL: This is a stable material
CONDITIONS OF REACTIVITY: N/A
INCOMPATIBLE MATERIALS: Strong oxidizing agents may degrade product over an extended period of time
CONDITION TO AVOID: High Heat
HAZARDOUS DECOMPOSITION: When heated, it may emit toxic fumes
HAZARDOUS POLYMERIZATION: Will not occur

SECTION XI: TOXICOLOGICAL INFORMATION

LD50: N/A
LC50: N/A
CARCINOGENICITY: IARC: NO OSHA: NO
National Toxicology Program: NO
California Prop 65: No listed ingredient

SECTION XII: ECOLOGICAL INFORMATION

No data available

SECTION XIII: DISPOSAL CONSIDERATIONS

Disposal must be done in accordance with Local, State and Federal regulations based on chemicals absorbed by products. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the MSDS for the chemical absorbed before proceeding.

SECTION XIV: TRANSPORT INFORMATION

DOT (Department of Transportation):

Proper shipping Name: Not regulated
Hazard Class: None
Identification Number: Not applicable

SECTION XV: REGULATORY INFORMATION

CERCLA (Comprehensive Environmental Response Compensation and Liability Act):	Not reportable quantity
OSHA Hazard Communications Standard, 29 CFR 1910.1200:	No listed ingredient
SARA Title III (Superfund Amendments and Reauthorization Act):	No listed ingredient
TSCA (Toxic Substances Control Act):	All ingredients are listed

SECTION XVI: OTHER INFORMATION

NFPA Hazard Rating:	none – extreme	Health:	0	Reactivity:	0
	0 - 4	Fire:	1		

For more information:
Phone (877) 431-0200 - Fax (401) 305-3030
www.chemtexinc.com