# BLUE JOINT PIPE COMPOUND SDS Revision Date:



04/02/2015

#### 1. Identification

1.1. Product identifier

Product Identity BLUE JOINT PIPE COMPOUND

Alternate Names 10-515, 10-525, 10-530, Blended Formula, BLUE

JOINT PIPE COMPOUND

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name ComStar International Inc.

20-45 128th Street,

College Point, NY 11356

**Telephone No.** 718-445-7900

800-328-0142 Fax: 718-353-5998

## 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



#### [Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P271 Use only outdoors or in a well-ventilated area.

#### [Response]:

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### [Storage]:

No GHS storage statements

**BLUE JOINT PIPE COMPOUND SDS Revision Date:** 



04/02/2015

#### [Disposal]:

No GHS disposal statements

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
ZINC OXIDE CAS#: 1314-13-2	<5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	[1][2]
ZINC DUST CAS#: 7440-66-6	<5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	[1][2]
MARINE OIL CAS#: 68389-85-5	<5	Not Classified	[1]
OXYALKYLENE POLYMER CAS#: 25322-68-3	<10	Eye irritation 2B Skin irritation 3	[1][2]
MICA CAS#: 12001-26-2	Balance	Not Classified	[1]
BLUE FOOD GRADE DYE	N/A	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First aid measures

#### 4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

**Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

See section 2 for further details.

Inhalation Harmful if inhaled.

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.
\*The full texts of the phrases are shown in Section 16.

BLUE JOINT PIPE COMPOUND SDS Revision Date:

04/02/2015



### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Water fog, C02, dry chemical, universal foams

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

#### 5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

ERG Guide No. ---

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

# 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Preventation of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizing agents, alkali metals

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

# 8. Exposure controls and personal protection

#### 8.1. Control parameters

**Exposure** 

# Safety Data Sheet BLUE JOINT PIPE COMPOUND SDS Revision Date:




04/02/2015

CAS No.	Ingredient	Source	Value
1314-13-2	ZINC OXIDE	OSHA	2 mg/m3
		ACGIH	2 mg/m3
		NIOSH	No Established Limit
		Supplier	No Established Limit
7440-66-6	ZINC DUST	OSHA	2 mg/m3
		ACGIH	2 mg/m3
		NIOSH	No Established Limit
		Supplier	No Established Limit
68389-85-5	MARINE OIL	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
25322-68-3	OXYALKYLENE POLYMER	OSHA	2 mg/m3
		ACGIH	2 mg/m3
		NIOSH	No Established Limit
		Supplier	No Established Limit
12001-26-2	MICA	OSHA	2 mg/m3
		ACGIH	2 mg/m3
		NIOSH	No Established Limit
		Supplier	No Established Limit
N/A	BLUE FOOD GRADE DYE	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

#### Carcinogen Data

CAS No.	Ingredient	Source	Value
1314-13-2	ZINC OXIDE	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
7440-66-6	ZINC DUST	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
68389-85-5	MARINE OIL	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
25322-68-3	OXYALKYLENE POLYMER	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
12001-26-2	MICA	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

# **BLUE JOINT PIPE COMPOUND**







N/A	BLUE FOOD GRADE DYE	OSHA	Select Carcinogen: No	
		NTP Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	

8.2. Exposure controls

Respiratory If engineering controls do not maintain airborne concentrations to an acceptable level, a

NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to

assure Compliance with OSHA Standard 29 CFR 1910.134.

**Eyes** Safety glasses with side shields, goggles or face shield are recommended.

Skin Wear overalls to keep skin contact to a minimum.

**Engineering Controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation

> rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc.

Recommended Decontamination Facilities: Eye bath, washing facilities.

**Other Work Practices** Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

## 9. Physical and chemical properties

**Appearance** Blue Paste Odor Slight

Odor threshold Not Measured pН Not Measured Melting point / freezing point Not Measured Initial boiling point and boiling range 370 F/188 C Flash Point None

**Evaporation rate (Ether = 1)** Not Measured Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 135C(275F): NA

Upper Explosive Limit: 199C(390F): NA

Vapor pressure (Pa) 6 mmHg (at 70 F) **Vapor Density** Not Measured **Specific Gravity** > 2 (H20 = 1)Solubility in Water Complete Partition coefficient n-octanol/water (Log Kow) Not Measured Auto-ignition temperature (ASTM D 2155): NA Not Measured

**Decomposition temperature** 

BLUE JOINT PIPE COMPOUND SDS Revision Date:

04/02/2015



Viscosity (cSt) 25C/77F: NA

Volatiles (% by weight) NA
Octanol/Water Partition Coefficient NA

9.2. Other information

No other relevant information.

# 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

Strong Oxidizers

#### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

# 11. Toxicological information

#### **Acute toxicity**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
ZINC OXIDE (1314-13-2)	>5000 mg/kg	No data available	No data available	No data available	No data available
ZINC DUST (7440-66-6)	>2,000 mg/kg	No data available	>2,000 mg/kg	No data available	No data available
MARINE OIL (68389-85-5)	No data available	No data available	No data available	No data available	No data available
OXYALKYLENE POLYMER (25322-68-3)	32,000 mg/kg Rat	>20,000mg/kg Rabbit	>100 mg/L	No data available	No data available
MICA (12001-26-2)	No data available	No data available	No data available	No data available	No data available
BLUE FOOD GRADE DYE (N/A)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable

BLUE JOINT PIPE COMPOUND SDS Revision Date:





Acute toxicity (dermal)	 Not Applicable
Acute toxicity (inhalation)	 Not Applicable
Skin corrosion/irritation	 Not Applicable
Serious eye damage/irritation	 Not Applicable
Respiratory sensitization	 Not Applicable
Skin sensitization	 Not Applicable
Germ cell mutagenicity	 Not Applicable
Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

# 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
ZINC OXIDE (1314-13-2)	1.1 to 2.5 ppm	0.098 mg/L	0.042 mg/L
ZINC DUST (7440-66-6)	0.41 mg/L	0.139-0.908	0.11 - 0.271
MARINE OIL (68389-85-5)	Not Available	Not Available	Not Available
OXYALKYLENE POLYMER (25322-68-3)	87,209 mg/l	53,484 mg/	Not Available
MICA (12001-26-2)	Not Available	Not Available	Not Available
BLUE FOOD GRADE DYE (N/A)	Not Available	Not Available	Not Available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

# 13. Disposal considerations

**BLUE JOINT PIPE COMPOUND** 

**SDS Revision Date:** 

04/02/2015



#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

### 14. Transport information

**DOT (Domestic Surface** 

Transportation)

IMO / IMDG (Ocean Transportation)

ICAO/IATA

14.1. UN number

Not Applicable

Not Regulated

Not Regulated

14.2. UN proper shipping

Not Regulated

Not Regulated

Not Regulated

name

14.3. Transport hazard

class(es)

**DOT Hazard Class: Not** 

Applicable

**IMDG:** Not Applicable Sub Class: Not Applicable Air Class: Not Applicable

14.4. Packing group

Not Applicable

Not Applicable

Not Applicable

14.5. Environmental hazards

**IMDG** Marine Pollutant: No

14.6. Special precautions for user

No further information

# 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

**Toxic Substance** 

Control Act (TSCA)

All components of this material are either listed or exempt from listing on the TSCA

Inventory. WHMIS Classification Not Regulated

**US EPA Tier II Hazards** 

Fire: No

Sudden Release of Pressure: No

Reactive: No.

Immediate (Acute): No Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Extremely Hazardous:**

ZINC OXIDE

ZINC DUST

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

# BLUE JOINT PIPE COMPOUND SDS Revision Date:



04/02/2015

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **New Jersey RTK Substances (>1%):**

ZINC OXIDE ZINC DUST

MICA

#### Pennsylvania RTK Substances (>1%):

ZINC OXIDE ZINC DUST MICA

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

**End of Document**