OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/03/2014

Reviewed on 10/28/2014

1 Identification

- · Product identifier
- · Trade name: Super Lube Multi-Purpose Grease w/PTFE
- · Product description Lubricant
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Synco Chemical Corporation
 24 DaVinci Drive P.O. Box 405
 Bohemia, NY 11716
 Phone: 631-567-5300
 www.super-lube.com
 info@super-lube.com
 Emergency telephone number:
- United States 800-424-9300 UK - National Poisons Emergency: +44 870 600 6266 (24 hour - health professionals only) Ireland - National Poisons Information Centre: +353 1 8379964

2 Hazard(s) identification

• Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Non-Regulated Material
- · Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- · Hazard statements Non-Regulated Material

0

- · Classification system:
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH	0	Health = 0
FIRE	1	Fire = 1
REACTIVIT	YO	Reactivity =

3 Compos	ition/information on ingredients	
9002-84-0	Polytetrafluoroethylene	2.5-10%
	Polypropylene Glycol	≤ 2.5%
9003-27-4	Polyisobutylene	< 2.5%

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous (Components:		
68611-44-9	Fumed Silica	🚸 STOT SE 3, H335	2.5-10%
41484-35-9	Antioxidant	🚸 Acute Tox. 3, H331	≤ 2.5%
8042-47-5	Mineral Oil		10-25%
151006-63-2	Polyalphaolefin		50-100%
		(Cc	ontd. on page 2

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/03/2014

Trade name: Super Lube Multi-Purpose Grease w/PTFE

• Additional information:

Polyalphaolefin and mineral oil are substances with a community workplace exposure limit.

4 First-aid measures

Description of first aid measures

- General information: No special measures required.
- After inhalation: Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.
- · After skin contact:

Wash areas with soap and water.

If symptoms persist, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing:

Do not induce vomitting.

Call a doctor if irritation or symptoms develop.

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Carbon dioxide, dry chemical, foam
- Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

· Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose of the collected material according to regulations.
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling Good manufacturing procedures should be followed in handling and storage.
 Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Store in a cool, dry place in tightly closed receptacles.
- · Information about storage in one common storage facility: See Section 10 (Incompatible materials)
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

Reviewed on 10/28/2014

(Contd. of page 1)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/03/2014

Trade name: Super Lube Multi-Purpose Grease w/PTFE

Reviewed on 10/28/2014

(Contd. of page 2)

<u>8 Exposure controls/personal protection</u>

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Component	ts with occupational exposure limits:
151006-63-2	Polyalphaolefin
ACGIH TLV	Short-term value: 10 mg/m³ Long-term value: 5 mg/m³
OSHA PEL	Long-term value: 5 mg/m ³
8042-47-5 M	ineral Oil
ACGIH TLV	Short-term value: 10 mg/m³ Long-term value: 5 mg/m³
OSHA PEL	Long-term value: 5 mg/m ³
68611-44-9	Fumed Silica
ACGIH	Short-term value: 3 mg/m ³ Long-term value: 10 mg/m ³
	Short-term value: 6 mg/m ³

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.

· Personal protective equipment:

• General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

• *Material of gloves* Nitrile rubber. NBR

PVC aloves

· Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

- · Eye protection: Safety glasses with side shields
- · Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- · Appearance:

Form:	Semi-solid
Color:	Translucent
· Odor:	Mild

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/03/2014

Trade name: Super Lube Multi-Purpose Grease w/PTFE

		(Contd. of page 3)
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.	
· Flash point:	> 220 °C (> 428 °F)	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure:	Not applicable.	
 Density @ 20 °C (68 °F): Relative density Vapour density Evaporation rate 	0.89 g/cm³ (7.427 lbs/gal) Not determined. Not applicable. Not applicable.	
 Solubility in / Miscibility with Water: 	Insoluble.	
· Partition coefficient (n-octanol/water): Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not applicable. Not applicable.	
 Solvent content: VOC content: Other information 	0 % No further relevant information available.	
0 Stability and reactivity		

· *Reactivity* No further relevant information available.

- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

· Incompatible materials: Strong oxidizing agents.

· Hazardous decomposition products: Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 5)

Reviewed on 10/28/2014

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/03/2014

Trade name: Super Lube Multi-Purpose Grease w/PTFE

Reviewed on 10/28/2014

(Contd. of page 4)

1 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

8042-47-5 Mineral Oil

Oral LD50 >5000 mg/kg (rat)

68611-44-9 Fumed Silica

Oral LD50 >5000 mg/kg (rat)

41484-35-9 Antioxidant

Oral	LD50	(rat) (>5000 mg/kg)
Dermal	LD50	>3000 mg/kg (rabbit)

Inhalative LC50 >3.5 mg/m³ (rat)

Polypropylene Glycol

Oral LD50 >10000 mg/kg (rat)

Dermal LD50 >10000 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: Frequent and prolonged skin contact may cause skin irritation.

- on the eye: May be irritating.
- Sensitization: No sensitizing effects known

• Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to humans

- Group 2A Probably carcinogenic to humans
- Group 2B Possibly carcinogenic to humans
- Group 3 Not classifiable as to its carcinogenicity to humans
- Group 4 Probably not carcinogenic to humans

9002-84-0 Polytetrafluoroethylene

NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- *Bioaccumulative potential* No further relevant information available.
- · *Mobility in soil* No further relevant information available.

3

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/03/2014

Trade name: Super Lube Multi-Purpose Grease w/PTFE

- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

· Uncleaned packagings:

· Recommendation:

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA · ADR	Non-Regulated Material Non-Regulated Material
 UN proper shipping name DOT, ADR, ADN, IMDG, IATA Transport hazard class(es) 	Not Regulated Non-Regulated Material
· DOT, ADR, ADN, IMDG, IATA · Class · Packing group	Non-Regulated Material
DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant:	Non-Regulated Material
 Special precautions for user Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code 	Not applicable. f
• Transport/Additional information:	Not applicable.
· ADR · Excepted quantities (EQ)	Not permitted as Excepted Quantity
 IMDG Excepted quantities (EQ) UN "Model Regulation": 	Not permitted as Excepted Quantity
15 Regulatory information	

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

- Section 355 (extremely hazardous substances):
 - None of the ingredients are listed.

(Contd. on page 7)

Reviewed on 10/28/2014

(Contd. of page 5)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/03/2014

Trade name: Super Lube Multi-Purpose Grease w/PTFE

None of the ingredients are listed.		
TSCA (Toxic Substances Control Act):		
All ingredients are listed.		
Proposition 65		
Chemicals known to cause cancer:		
None of the ingredients are listed.		
Chemicals known to cause reproductive toxicity	/ for females:	
None of the ingredients are listed.		
Chemicals known to cause reproductive toxicity	/ for males:	
None of the ingredients are listed.		
Chemicals known to cause developmental toxic	ity:	
None of the ingredients are listed.	_	
Carcinogenic categories		
EPA (Environmental Protection Agency)		
None of the ingredients are listed.		
TLV (Threshold Limit Value established by ACG	IH)	
None of the ingredients are listed.	,	
NIOSH-Ca (National Institute for Occupational S	afety and Health)	
None of the ingredients are listed.		
GHS label elements Non-Regulated Material		
Hazard pictograms Non-Regulated Material		
Signal word Non-Regulated Material Hazard statements Non-Regulated Material		
National regulations:		
The product is subject to be labeled according wit	h the prevailing version of the regulations	on hazardou
substances.		on nazaraoa
State Right to Know		
151006-63-2 Polyalphaolefin		50-1009
8042-47-5 Mineral Oil		10-25%
68611-44-9 Fumed Silica		2.5-10%
9002-84-0 Polytetrafluoroethylene		2.5-10%
41484-35-9 Antioxidant	🚸 Acute Tox. 3, H331	≤ 2.5%
Polypropylene Glycol		< 2.5%
		≤ 2.5%
9003-27-4 Polyisobutylene All ingredients are listed.		

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Reviewed on 10/28/2014

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/03/2014

Trade name: Super Lube Multi-Purpose Grease w/PTFE

Reviewed on 10/28/2014

(Contd. of page 7)

· Date of preparation / last revision 11/03/2014 / 14 Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 3: Acute toxicity, Hazard Category 3 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 * * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106