MATERIAL SAFETY DATA SHEET

DATE OF PREPARATION Aug 15, 2017

SECTION 1 — PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBER SC0541000 **PRODUCT NAME** WL[™]541 Dry Weld Spatter Protectant Aerosol **MANUFACTURER'S NAME** SPRAYON PRODUCTS SPRAYON PRODUCTS GROUP 101 W. Prospect Avenue, Cleveland, OH 44115

Telephone Numbers and Websites

Product Information	(800) 247-3266	
	www.sprayon.com	
Regulatory Information	(216) 566-2902	
Medical Emergency	(216) 566-2917	
Transportation Emergency*	(800) 424-9300	
*for Chemical Emergency ONLY (spill, leak, fire, exposure, or		
	accident)	

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

% by Weight	CAS Number	Ingredient	Units	Vapor Pressure
89	75-09-2	Methylene Chloride		
		ACGIH TLV	50 PPM	420 mm
		OSHA PEL	25 PPM	
		OSHA PEL	125 PPM STEL	
3	124-38-9	Carbon Dioxide		
		ACGIH TLV	5000 PPM	760 mm
		OSHA PEL	5000 PPM	
7	14807-96-6	Talc		
		ACGIH TLV	2 mg/m3 as Resp. Dust	
		OSHA PEL	2 mg/m3 as Resp. Dust	

SECTION 3 — HAZARDS IDENTIFICATION

ROUTES OF EXPOSURE	HMISC	Codes
INHALATION of vapor or spray mist.	Health	2*
EYE or SKIN contact with the product, vapor or spray mist.	Flammability	2
EFFECTS OF OVEREXPOSURE	Reactivity	0
FYES: Irritation		

SKIN: Prolonged or repeated exposure may cause irritation.

INHALATION: Irritation of the upper respiratory system.

In a confined area vapors in high concentration may cause headache, nausea or dizziness.

Prolonged overexposure to hazardous ingredients in Section 2 may cause adverse chronic effects to the following organs or systems: • the liver

• the urinary system

the cardiovascular system

• the nervous system

Overexposure to Methylene Chloride can raise the level of carbon monoxide in the blood.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

Redness and itching or burning sensation may indicate eye or excessive skin exposure.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE Cardiovascular problems may be aggravated by overexposure to Methylene Chloride.

CANCER INFORMATION

For complete discussion of toxicology data refer to Section 11.

SECTION 4 — FIRST AID MEASURES

EYES:	Flush eyes with large amounts of water for 15 minutes. Get medical attention.
	, ,
SKIN:	Wash affected area thoroughly with soap and water.
	Remove contaminated clothing and launder before re-use.
INHALATION:	If affected, remove from exposure. Restore breathing. Keep warm and quiet.

INGESTION: Do not induce vomiting. Get medical attention immediately.

SECTION 5 — FIRE FIGHTING MEASURES

FLASH POINT	LEL	UEL
Not Applicable	Not	Not
	Applicable	Applicable

EXTINGUISHING MEDIA

Carbon Dioxide, Dry Chemical, Foam

UNUSUAL FIRE AND EXPLOSION HAZARDS

Closed containers may explode (due to the build-up of pressure) when exposed to extreme heat.

During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Obtain medical attention.

SPECIAL FIRE FIGHTING PROCEDURES

Full protective equipment including self-contained breathing apparatus should be used.

Water spray may be ineffective. If water is used, fog nozzles are preferable. Water may be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to extreme heat.

SECTION 6 — ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Remove all sources of ignition. Ventilate the area. Remove with inert absorbent.

SECTION 7 — HANDLING AND STORAGE

STORAGE CATEGORY

Not Available

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Contents under pressure. Do not puncture, incinerate, or expose to temperature above 120F. Heat from sunlight, radiators, stoves, hot water, and other heat sources could cause container to burst. Do not take internally. Keep out of the reach of children.

SECTION 8 — EXPOSURE CONTROLS/PERSONAL PROTECTION

PRECAUTIONS TO BE TAKEN IN USE

Before initial use, consult OSHA's 'Standard for Occupational Exposure to Methylene Chloride' (29 CFR 1910.1052).

Use only with adequate ventilation.

Avoid contact with skin and eyes. Avoid breathing vapor and spray mist.

Wash hands after using.

VENTILATION

Local exhaust preferable. General exhaust acceptable if the exposure to materials in Section 2 is maintained below applicable exposure limits. Refer to OSHA Standards 1910.94, 1910.107, 1910.108.

RESPIRATORY PROTECTION

An air supplied respirator must be worn, unless air monitoring demonstrates vapor/mist concentrations are below permissable limits. Follow respirator manufacturers directions for respirator use.

PROTECTIVE GLOVES

For intermittent exposure, wear VITON or nitrile gloves recommended by glove manufacturer for protection against materials in Section 2. For immersion, wear PVA gloves recommended by glove manufacturer.

EYE PROTECTION

Wear safety spectacles with unperforated sideshields.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

 PRODUCT WEIGHT
 11.27 lb/gal
 1350 g/l

 SPECIFIC GRAVITY
 1.36

 BOILING POINT
 <0 - 105 °F</td>
 <-18 - 40 °C</td>

 MELTING POINT
 Not Available

 VOLATILE VOLUME
 96%

 EVAPORATION RATE
 Faster than ether

 VAPOR DENSITY
 Heavier than air

 SOLUBILITY IN WATER
 Not Available

 VOLATILE ORGANIC COMPOUNDS (VOC Theoretical - As Packaged)
 Volatile Weight 0.35%

SECTION 10 — STABILITY AND REACTIVITY

STABILITY — Stable

CONDITIONS TO AVOID

None known.

INCOMPATIBILITY

HAZARDOUS DECOMPOSITION PRODUCTS

By fire: Carbon Dioxide, Carbon Monoxide, Hydrogen Chloride

HAZARDOUS POLYMERIZATION

Will not occur

SECTION 11 — TOXICOLOGICAL INFORMATION

CHRONIC HEALTH HAZARDS

Methylene Chloride is listed by IARC, NTP, and OSHA. Laboratory animals exposed to high levels of Methylene Chloride in lifetime studies have developed cancer. There is no evidence to date that Methylene Chloride causes cancer in humans.

TOXICOLOGY DATA

Ingredient Name				
Methylene Chloride				
-	LC50 RAT	4HR	Not Available	
	LD50 RAT		1600 mg/kg	
Carbon Dioxide				
	LC50 RAT	4HR	Not Available	
	LD50 RAT		Not Available	
Talc				
	LC50 RAT	4HR	Not Available	
	LD50 RAT		Not Available	
	Methylene Chloride Carbon Dioxide	Methylene Chloride LC50 RAT LD50 RAT Carbon Dioxide LC50 RAT LD50 RAT Talc LC50 RAT	Methylene Chloride LC50 RAT 4HR LD50 RAT Carbon Dioxide LC50 RAT 4HR LD50 RAT Talc LC50 RAT 4HR	Methylene Chloride LC50 RAT 4HR Not Available LD50 RAT 1600 mg/kg Carbon Dioxide LC50 RAT 4HR Not Available LD50 RAT Not Available LC50 RAT 4HR Not Available

SECTION 12 — ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

No data available.

SECTION 13 — DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Do not incinerate. Depressurize container. Dispose of in accordance with Federal, State/Provincial, and Local regulations regarding pollution.

SECTION 14 — TRANSPORT INFORMATION

Multi-modal shipping descriptions are provided for informational purposes and do not consider container sizes. The presence of a shipping description for a particular mode of transport (ocean, air, etc.), does not indicate that the product is packaged suitably for that mode of transport. All packaging must be reviewed for suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility of the person offering the product for transport.

US Ground (DOT)

May be classed as LTD. QTY. OR ORM-D UN1950, AEROSOLS, 2.2, LIMITED QUANTITY, (ERG#126)

Canada (TDG)

May be classed as LTD. QTY. OR ORM-D UN1950, AEROSOLS, 2.2, LIMITED QUANTITY, (ERG#126) IMO

May be shipped as Limited Quantity

UN1950, AEROSOLS, NON-FLAMMABLE, TOXIC, CONTAINING SUBSTANCES IN DIVISION 6.1, PACKING GROUP III, 2.2, (6.1), EmS F-D, S-U

IATA/ICAO

UN1950, AEROSOLS, FLAMMABLE, CONTAINING SUBSTANCES IN DIVISION 6.1, PG III, 2.1, 6.1, LIMITED QUANTITY

SECTION 15 — REGULATORY INFORMATION

SARA 313 (40 CFR 372.65C) SUPPLIER NOTIFICATION

CAS No.	CHEMICAL/COMPOUND	% by WT	% Element
75-09-2	Methylene Chloride	89	

CALIFORNIA PROPOSITION 65

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. TSCA CERTIFICATION

All chemicals in this product are listed, or are exempt from listing, on the TSCA Inventory.

SECTION 16 — OTHER INFORMATION

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.