

SAFETY DATA SHEET

Revision Date 21-Jun-2017

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier Product Name	Super Concentrated Floor Stripper	
Other means of identification Product Code Synonyms	640405 None	
Details of the supplier of the safety data sheetCompany NameGlobal Industrial2505 Mill Center Parkway, Buford, GA 30518(516) 608-3000		
Emergency telephone number Emergency Telephone	Chemtrec (US &Canada) 800-424-9300 Chemtrec (outside US & Canada) 703-527-3887	

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Label elements

Emergency Overview

Danger

Hazard statements Harmful if swallowed Harmful in contact with skin Harmful if inhaled Causes severe skin burns and eye damage May cause respiratory irritation. May cause drowsiness or dizziness



Appearance Clear Colorless

Physical state Liquid

Odor Solvent

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Drink plenty of water Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified (HNOC)

Other Information

• Harmful to aquatic life with long lasting effects

· Harmful to aquatic life

Unknown Acute Toxicity

4% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Benzyl Alcohol	100-51-6	30-60	*
Monoethanolamine	141-43-5	10-30	*
2-butoxyethanol	111-76-2	10-30	*
Nonylphenol Ethoxylate	9016-45-9	1-5	*
Diethanolamine	111-42-2	.1-1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice	Immediate medical attention is required.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.		
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.	
Environmental precautions		
Environmental precautions	Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other surface water bodies. Should not be released into the environment. Dispose of according to all local city, state and federal rules and regulations.	
Methods and material for containme	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.	

7. HANDLING AND STORAGE

Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothin Ensure adequate ventilation, especially in confined areas. In case of insufficient ventila wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.	
Conditions for safe storage, includi	ng any incompatibilities	
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.	
Incompatible materials	Incompatible with strong acids and bases. Incompatible with oxidizing agents.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Monoethanolamine	STEL: 6 ppm	TWA: 3 ppm	IDLH: 30 ppm
141-43-5	TWA: 3 ppm	TWA: 6 mg/m ³	TWA: 3 ppm
		(vacated) TWA: 3 ppm	TWA: 8 mg/m ³
		(vacated) TWA: 8 mg/m ³	STEL: 6 ppm
		(vacated) STEL: 6 ppm	STEL: 15 mg/m ³
		(vacated) STEL: 15 mg/m ³	-
2-butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	-
		(vacated) S*	
		S*	
Diethanolamine	TWA: 1 mg/m ³ inhalable fraction	(vacated) TWA: 3 ppm	TWA: 3 ppm
111-42-2	and vapor	(vacated) TWA: 15 mg/m ³	TWA: 15 mg/m ³
	S*	, , 3	0

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

- Skin and body protectionWear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,
as appropriate, to prevent skin contact.
- **Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
- General Hygiene When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Clear Colorless Colorless Solvent	
Odor Odor		
Odor threshold	No Information available	
Property pH Specific Gravity Viscosity Melting point/freezing point Flash point Boiling point / boiling range Evaporation rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limit:	Values 11.0 - 12.5 1.00 < 25 cP @ 25°C No Information available > 200 °F 212 °F No Information available No data available No Information available	<u>Remarks • Method</u>
Lower flammability limit:	No Information available	
Vapor pressure	No Information available	
Vapor density	No Information available	
Water solubility	Complete	
Partition coefficient	No Information available	
Autoignition temperature	No Information available	
Decomposition temperature	No Information available	
Other Information		

Density Lbs/Gal VOC Content (%) 8.33 87.89

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	The primary effects and toxicity of this material are due to it corrosive nature.	
Inhalation	Harmful if inhaled. Inhalation of vapors in high concentration may cause irritation of respiratory system. May cause drowsiness or dizziness.	
Eye contact	Avoid contact with eyes. Corrosive. Causes severe eye damage.	
Skin Contact	Harmful in contact with skin. Corrosive. Contact with skin may cause severe irritation and	

burns. Prolonged contact with skin may result in the absorption of potentially harmful amounts leading to possible liver and kidney damage.

Ingestion Harmful if swallowed. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach. Ingestion may result in the absorption of potentially harmful amounts leading to possible liver and kidney damage.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl Alcohol	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat)4 h
100-51-6			
Monoethanolamine	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit) = 1 mL/kg	-
141-43-5		(Rabbit)	
2-butoxyethanol	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat)4 h
111-76-2			
Nonylphenol Ethoxylate	= 2590 mg/kg (Rat) = 1310 mg/kg	= 2590 mg/kg (Rat) = 1310 mg/kg = 1780 µL/kg (Rabbit) = 2 mL/kg (
9016-45-9	(Rat)	Rabbit)	
Diethanolamine	= 780 mg/kg (Rat) = 620 µL/kg (= 7640 µL/kg (Rabbit)	-
111-42-2	Rat)		

Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity		rns. Extremely corrosive and	destructive to tissue. Ris	sk of serious damage to		
	eyes.					
Sensitization		No Information available.				
Germ cell mutagenicity	No Informa	ation available.				
Carcinogenicity	The table I	The table below indicates whether each agency has listed any ingredient as a carcinogen.				
Chemical Name	ACGIH	CGIH IARC NTP OSHA				
2-butoxyethanol	A3	Group 3	-	-		
111-76-2						
Diethanolamine 111-42-2	A3	Group 2B	-	X		
ACGIH (American Confere	ence of Governmental	Industrial Hygienists)				
A3 - Animal Carcinogen		,				
IARC (International Agend	cy for Research on Car	ncer)				
Group 2B - Possibly Carcin Group 3 -Not classifiable as	ogenic to Humans					
		tration of the US Department c	of Labor)			
X - Present	ly and health Adminis	iration of the 03 Department of				
Reproductive toxicity	No Inform:	ation available.				
STOT - single exposure		ation available.				
STOT - repeated exposure		ation available.				
Chronic toxicity			and may cause creation (of the teeth followed by jow		
Chronic toxicity		posure to corrosive fumes/ga				
		Bronchial irritation with chron				
		Gastrointestinal disturbances				
		sk of irreversible effects. May		n the bone marrow and		
		ing system. May cause adve				
Target organ effects		tral nervous system, EYES,	hematopoletic system, K	idney, Liver, Respiratory		
	system, Sk					
Aspiration hazard	No Informa	No Information available.				
Numerical measures of toxicity - Product Information						
Unknown Acute Toxicity	Unknown Acute Toxicity 4% of the mixture consists of ingredient(s) of unknown toxicity					
The following values are calculated based on chapter 3.1 of the GHS document						
ATEmix (oral)	1,183.00	•				
ATEmix (dermal)	1,646.00)				
ATEmix (inhalation-du		•				
ATEmix (inhalation-va						
	,					
	12. E	COLOGICAL INFORM	ATION			

Ecotoxicity

4.01% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Benzyl Alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	23: 48 h water flea mg/L EC50
Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	65: 48 h Daphnia magna mg/L EC50
2-butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50
Nonylphenol Ethoxylate 9016-45-9	-	5: 96 h Fish mg/L LC50	-
Benzaldehyde 100-52-7	-	10.6 - 11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 0.8 - 1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.8 - 8.53: 96 h Pimephales promelas mg/L LC50 flow-through 7.5: 96 h Lepomis macrochirus mg/L LC50 static	50: 24 h Daphnia magna mg/L EC50
Diethanolamine 111-42-2	2.1 - 2.3: 96 h Pseudokirchneriella subcapitata mg/L EC50 7.8: 72 h Desmodesmus subspicatus mg/L EC50	4460 - 4980: 96 h Pimephales promelas mg/L LC50 flow-through 1200 - 1580: 96 h Pimephales promelas mg/L LC50 static 600 - 1000: 96 h Lepomis macrochirus mg/L LC50 static	55: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No Information available.

Bioaccumulation

Bioaccumulative potential.

Chemical Name	Partition coefficient
Benzyl Alcohol	1.1
100-51-6	
Monoethanolamine	-1.91
141-43-5	
2-butoxyethanol	0.81
111-76-2	
Diethanolamine	-2.18
111-42-2	

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT	
UN/ID No.	UN1760
Proper shipping name	Corrosive liquids, n.o.s.
Hazard Class	8
Packing Group	II
Special Provisions	B2, IB2, T11, TP2, TP27
Description	UN1760, Corrosive liquids, n.o.s. (contains Ethanolamine), 8, II
Emergency Response Guide	154
Number	
TDG	
UN/ID No.	UN1760
Proper shipping name	Corrosive liquids, n.o.s.
Hazard Class	8
Packing Group	ll
Description	UN1760, Corrosive liquids, n.o.s. (contains Ethanolamine), 8, II

15. REGULATORY INFORMATION

International Inventories	
TSCA	
DSL/NDSL	

Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %		
2-butoxyethanol - 111-76-2	1.0		
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	Yes		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Diethanolamine	100 lb	-	RQ 100 lb final RQ
111-42-2			RQ 45.4 kg final RQ
UC Otata Danulatiana		*	

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause cancer

•• • • • •	
Chemical Name	California Proposition 65
Diethanolamine - 111-42-2	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Monoethanolamine 141-43-5	Х	Х	Х
2-butoxyethanol 111-76-2	Х	X	Х
Benzaldehyde 100-52-7	Х	X	Х
Diethanolamine 111-42-2	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION				
NFPA	Health hazards 3	Flammability 0	Instability 0	Physical and Chemical Properties Yes
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection C
Issue Date	15-Sep-2017			
Revision Date	21-Jun-2017			
Revision Note				
No Information available				

<u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet