

## Build Your Own Berm Wall Ends #BYOB-2WE - 3" x 5.5" x 2", 2/package



Build your own barrier around equipment or storage, indoors or out.

- Seals tight against floor and wall for a leak-free connection
- Semi-permanent, highly visible berm customizable to your desired size and shape
- Vinyl covered foam barrier resists oils, coolants and most chemicals
- Easy to cut with utility knife
- Recovers its shape under foot traffic or light, wheeled equipment

### BYOB-2WE Specifications

<b>Dimensions:</b>	5.5" W x 3" L x 2" H
<b>Shipping Dimensions:</b>	9.45" W x 9.45" L x 6.75" H
<b>Sold as:</b>	2 per package
<b>Color:</b>	Yellow
<b>Composition:</b>	18oz All-Vinyl Covering with Open-Cell Foam Interior
<b># per Pallet:</b>	230
<b>Incinerable:</b>	No
<b>Ship Class:</b>	250

### Metric Equivalent Specifications

<b>Dimensions:</b>	14cm W x 7.6cm L x 5.1cm H
<b>Shipping Dimensions:</b>	24cm W x 24cm L x 17.1cm H
<b>Dimensions:</b>	

## BYOB-2WE Technical Information

### Warnings & Restrictions:

There are no known warnings and restrictions for this product.

### Regulations and Compliance:

40 CFR 264.175 - Hazardous waste containment systems must be free of structural cracks or gaps; designed to keep spilled liquids from remaining in contact with the container; prevent run-on and "have sufficient capacity to contain 10% of the volume of the containers or the volume of the largest container, whichever is greater." For example, four 55-gallon drums require secondary containment of 55 gallons.

40 CFR 122.26 - Facilities must have a detailed plan in place to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7(c)(1) - Facilities must have "appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course."

### Technical Documents:

(Available at [spiltech.com](http://spiltech.com))

Product Data Sheet (PDS)