

SPECIFICATIONS & FEATURES

MOUNTING

- ◆ Suspended mounting
- ◆ Hanging clips included

WARRANTY

- ◆ **Five** year warranty

LED MODULES

- ◆ High brightness SAMSUNG LED modules
- ◆ 5000 Kelvin temperature standard. 3500K, 4000K, 4500K, 5000K available for special order.
- ◆ Mercury free
- ◆ 50,000 hour rated life

CONSTRUCTION

- ◆ Aluminum heat sink
- ◆ IP20 without lens accessory
- ◆ IP40 with lens accessory
- ◆ Occupancy sensor option available
- ◆ Battery backup option available

Certifications

- ◆ DLC Listed
- ◆ UL/cUL Listed



Product #	SL913LBI
Project	
Comments	
Prepared By	
Date	

ENERGY DATA

- ◆ 120-277V 50/60Hz (347-480V available for surcharge)
- ◆ Power Factor: .95
- ◆ THD: 10%
- ◆ -30°C Min. Temperature
- ◆ 55°C Max. Temperature

PRODUCT DIMENSIONS AND DETAILS:


Product	Wattage (W)	CCT (K) ¹	Initial Lumens (lm) ²	Efficacy (lm/watt) ²	Rated Life (hrs)	CRI
SL913LBI-2-100W	100	5,000	16,350	163.5	50,000	80
SL913LBI-2-150W	150	5,000	24,750	165	50,000	80
SL913LBI-4-200W	200	5,500	33,000	165	50,000	80

1. CCT range complies to ANSI C78.377-2008
 2. In fixture @ 5000K

PRODUCT DIMENSIONS

LED—LINEAR HIGH BAY

Product	Length (Inches)	Width (Inches)	Height (Inches)
SL913LBI-100W	26.4	13.7	2
SL913LBI-150W	26.4	16	2
SL913LBI-200W	46	16	2



ORDERING INFORMATION

SAMPLE NUMBER: SL913LBI-100W-SU-50K-O

SL913LBI						
Category	Wattage	Voltage	CCT	Lens	Sensor	Battery Backup
SL913LBI = Packard High Bay	100W = 100W 150W = 150W 200W = 200W	SU = 120~277V (standard universal) HV = 347~480V (high voltage)	30K = 3000K 35K = 3500K 40K = 4000K 45K = 4500K 50K = 5000K	O = Open C = Clear F = Frosted	M = Occupancy Sensor	B = Battery Backup

- ◆ 5000 Kelvin temperature standard. 3000K, 3500K, 4000K, 4500K available for special order—please contact us for lead times.
- ◆ High Voltage driver, Clear lens, Frosted lens, Occupancy sensor, and Battery backup available for surcharge

CONTACT US

Phone: (855) TSLC - LED
(855) 875 - 2533
Fax: (248) 671 - 0624

Address:
12501 E. Grand River Ave.
Suite 200
Brighton, MI 48116



The Straits Lighting Company is constantly developing and improving its products. For this reason, all product descriptions in this brochure are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, The Straits Lighting Company cannot accept any liability arising from the reliance on such data to the extent permitted.