1. Product and Company Identification

Product Identifier: Base Eater Caustic Absorber & Neutralizer

General Use: Designed to neutralize and absorb a variety of caustics and bases.

Product Description: Tan Pellet

Manufacturer:Emergency TelephoneClift Industries, Inc.CHEMTRECPO Box 471578800-424-9300

Charlotte, NC 28247 704-752-0031

2. Hazards Identification

Classification: Acute toxicity, Oral, Dermal, Inhalation Category 5

Eye Irritation, Category 2B

Signal Word: Warning!

(!)

Hazard Statement: H303+H313 Maybe harmful if swallowed, in contact with

+H333 skin or if inhaled. H320 Causes eye irritation.

Precautionary Statements Prevention: P2

wention: P264 Wash hands thoroughly after handling.
P304 + 340 IF INHALED: Remove victim to fresh air and

Statements Response:

Precautionary

keep at rest in a position comfortable for breathing

P301+330+ **IF SWALLOWED**: Rinse mouth. Do NOT

induce vomiting.P303+352IF ON SKIN: Wash with plenty of soap and

water

P305+351+ **IF IN EYES**: Rinse cautiously with water for 338 several minutes. Remove contact lenses, if

present and easy to do. Continue Rinsing.

3. Composition/Information on Ingredients

Ingredients	CAS No.	Weight %
Absorbent	Proprietary	50
Neutralizer	Proprietary	50

4. First Aid Measures

Eye Contact: Flush eyes for fifteen minutes with water. If irritation persists, contact a

physician.

Skin Contact: Wash with soap and water. If irritation persists, contact a physician.

Inhalation: Not normally required. Move to fresh air. If symptoms persist, get

medical attention.

Ingestion: Not normally required. Contact a physician if ingested.

5. Fire Fighting Measures

Extinguishing Media: Unused form: Water spray, dry chemical or carbon dioxide. Used form: That which is compatible to liquid (s) absorbed.

Special Fire Fighting Procedures: None required.

Hazardous Combustion Products: Carbon monoxide and/or carbon dioxide. Unusual Hazards: None expected. Refer to absorbed liquid(s) MSDS(s). Extreme heat

may cause pressure to build up inside drum.

6. Accidental Release Measures

Spill or Leak Procedures: If material is unused, collect and recover for reuse. Wear protective equipment. Not a listed hazardous waste.

7. Handling and Storage

Handling Precautions: Avoid contact with skin and eyes. Do not swallow. Wash hands thoroughly after handling.

Storage Precautions: Store in cool, dry area. Prevent product from freezing. Keep out of the reach of children. Shelf life: 3 years as long as the product is kept in a clean, dry environment away from direct sunlight and/or excessive heat.

General: Refer to absorbed liquid(s) MSDS(s). Follow label directions carefully. Make sure all containers are labeled properly. The container can be hazardous when empty. Follow label cautions even after the container is empty. Do not re-use empty containers for food, clothing or products for human or animal consumption, or where skin contact can occur.

8. Exposure Controls/Personal Protection

Engineering Controls: Use adequate ventilation to keep airborne concentrations low.

PERSONAL PROTECTION

Eyes: Safety goggles or glass with side shields

Respirator: NIOSH/MSHA approved respirator when ventilation is inadequate.

Gloves: Impervious gloves.

Other: Maintain eyewash and safety shower in work area.

OSHA HAZARDOUS COMPONENTS

(29 CFR 1910.1200):

EXPOSURE LIMIT 8 hrs. TWA (ppm)
OSHA PEL ACGIH TLV

None

9. Physical/Chemical Characteristics

Appearance: Tan Pellets

Odor: Bland pH: N/A

Melting Point/Freezing Point: 32° F (0° C) Initial Boiling Point and Range: 212° F (100° C) Flash Point: None Method: Not available.

Evaporation Rate: Not established. **Flammable Limits**: Not applicable.

Conditions of Flammability: Non-flammable. Explosive Properties: Not established.

Vapor Pressure: Not available. Vapor Density: Not established. Relative Density (H₂O =1): 0.695 Solubility in Water: N/A

VOC (g/L): 0

10. Stability and Reactivity Data

General: This is a stable material

Conditions of Reactivity: Reacts with sodium hypochlorite or calcium

Incompatible Materials: Strong oxidants
Conditions to Avoid: Excessive heat or flame.
Hazardous Decomposition: Not established.
Hazardous Polymerization: Will not occur.

11. Toxicological Data

 $\begin{array}{l} \textbf{LD50} \hbox{: Not established.} \\ \textbf{LC50} \hbox{: Not established.} \end{array}$

Carcinogenicity: IRAC: None

National Toxicology Program: None

OSHA: None

California Prop 65: No listed ingredient

Reproduction Toxicity: Not available
Teratogenicity: Not available
Mutagenicity: Not available
Synergistic Products: Not available

12. Ecological Data

No data available

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state and local regulations.

14. Transport Information

D.O.T. (Department of Transportation):
Proper Shipping Name: Non-hazardous liquid
Hazard Class: Not regulated
Identification Number: Not applicable

15. Regulatory Information

CERCLA (Comprehensive Environmental Response Compensation and Liability

Act): No Reportable Quantity

OSHA Hazard Communication Standard, 28 CFR 1910.1200: No hazardous introductions

 ${\bf SARA\ Title\ III\ (Superfund\ Amendments\ and\ Reauthorization\ Act)}$: No listed ingredient.

TSCA (Toxic Substances Control Act): All ingredients are listed.

16. OTHER INFORMATION:

NFPA Hazard Rating: Health -1None \rightarrow Extreme Fire -0 $0 \rightarrow 4$ Reactivity -0PPE -B

Reason for Issue: GHS changes to Sections 2 & 3.

Prepared by: J. Pickett Approved by: C. Matthews Approval Date of Issue: 1/4/2017 Approval Date: 1/4/2017

1. **Product and Company Identification**

Product Identifier: BioRem-2000 Solvent Absorber

General Use: BioRem-2000 Solvent Absorber contains and absorbs solvents and

Product Description: White, loose powder with no odor.

Manufacturer: **Emergency Telephone** Clift Industries, Inc. CHEMTREC PO Box 471578 800-424-9300

Charlotte, NC 28247 704-752-0031

> **Hazards Identification** 2.

GHS Classification: Not a dangerous substance according to GHS

POTENTIAL HEALTH EFFECTS:

Eye Contact: High levels of dust may cause irritation.

Ingestion: Causes irritation to the gastrointestinal tract. Symptoms may

include nausea, vomiting and diarrhea.

High levels of dust may cause respiratory tract irritation. Inhalation:

Skin Contact: High levels of dust may cause irritation.

Chronic: Not established.

> 3. Composition/Information on Ingredients

Ingredients CAS No. Weight % Neutralizer Proprietary < 50% <50% Absorbent Proprietary

First Aid Measures

Eye Contact: Flush eyes for fifteen minutes with water. If irritation persists,

contact a physician.

Skin Contact: Wash with soap and water. If irritation persists, contact a

Inhalation: Not normally required. Move to fresh air. If symptoms persist,

get medical attention.

Not normally required. Contact a physician if ingested. Ingestion:

Fire Fighting Measures

<u>Unused form</u>: Dry chemical, water fog, Carbon dioxide, sand. Extinguishing Media:

Used form: That which is compatible to liquid (s) absorbed.

Special Fire Fighting Procedures: None required. Hazardous Combustion Products: Carbon oxides.

Unusual Hazards: None expected. Refer to absorbed liquid(s) MSDS(s). Extreme heat

may cause pressure to build up inside drum.

Accidental Release Measures

Spill or Leak Procedures: Use proper PPE as outlined in Section 8. Contain, retrieve spilled materials (absorb, pump, vacuum). Vacuuming or wet mopping may be used to

avoid dust dispersal.

Handling and Storage

Handling Precautions: Use with adequate ventilation. Avoid contact with skin and eyes.

Avoid breathing dust. Keep container tightly sealed when not in use.

Storage Precautions: Room temperature. Store in cool, dry area at room temperature.

Prevent product from freezing. Shelf life: >1 year, in original sealed package.

General: Refer to absorbed liquid(s) MSDS(s). Follow label directions carefully. Make sure all containers are labeled properly. The container can be hazardous when empty. Follow label cautions even after the container is empty. Do not re-use empty containers for food, clothing or products for human or animal consumption, or where skin contact can occur.

8. Exposure Controls/Personal Protection

Engineering Controls: Use adequate ventilation to keep airborne concentrations low.

PERSONAL PROTECTION

Safety goggles or glass with side shields Eves:

Respirator: NIOSH/MSHA approved respirator when ventilation is inadequate.

Gloves: Impervious gloves.

Other: Maintain eyewash and safety shower in work area.

OSHA HAZARDOUS COMPONENTS

(29 CFR 1910.1200):

EXPOSURE LIMIT 8 hrs TWA (ppm)

ACGIH TLV OSHA PEL

Nuisance Dust:

Total 15 mg/m^3 10 mg/m³ Respirable 5 mg/m^3 3 mg/m^3

9. Physical/Chemical Characteristics

Appearance: Black Odor: None pH: Not available.

Melting Point/Freezing Point: Not available. Initial Boiling Point and Range: Not Available. Flash Point: N/A Method: Not available. Evaporation Rate: Not established.

Flammable Limits: Not applicable. Conditions of Flammability: Non-flammable.

Explosive Properties: Not established. Vapor Pressure: Not available. Vapor Density: Not established. Relative Density (H2O =1): 0.695 Solubility in Water: Soluble

VOC (g/L): 0

10. Stability and Reactivity Data

General: This is a stable material

Conditions of Reactivity: Reacts with sodium hypochlorite or calcium

hypochlorite. Incompatible Materials: Strong oxidants Conditions to Avoid: Dust generation.

Hazardous Decomposition Oxides of carbon and nitrogen, ammonia.

Hazardous Polymerization: Will not occur.

11. Toxicological Data

LD50: Not established. LC50: Not established

Carcinogenicity: IRAC: None

National Toxicology Program: None

OSHA: None

California Prop 65: No listed ingredient

Reproduction Toxicity: Not available Teratogenicity: Not available Mutagenicity Not available Synergistic Products: Not available

Ecological Data

No data available

Disposal Considerations

Waste Disposal Method: Observe all federal, state and local regulations.

Transport Information

D.O.T. (Department of Transportation): Proper Shipping Name: Not regulated Hazard Class: Not regulated Identification Number: Not applicable

Regulatory Information

CERCLA (Comprehensive Environmental Response Compensation and Liability

Act): No Reportable Quantity

OSHA Hazard Communication Standard, 28 CFR 1910.1200: Nuisance dust

SARA Title III (Superfund Amendments and Reauthorization Act): Not covered

TSCA (Toxic Substances Control Act): All ingredients are listed.

OTHER INFORMATION: 16.

NFPA Hazard Rating: Health - 1 None → Extreme Fire - 0 $0 \rightarrow 4$ Reactivity - 0 PPE – B

Reason for Issue: GHS changes to Sections 2 & 3.

Prepared by: J. Pickett Approved by: C. Matthews Approval Date of Issue: 1/4/2017 Approval Date: 1/4/2017

Product and Company Identification

Product Identifier: Formaldehyde Eater Absorber

General Use: Formaldehyde Eater is a loose absorbent that will absorb and solidify formaldehyde, formaldehyde base fixatives; glutaraldehyde and other aldehydes solutions while helping to eliminate harmful vapors.

Product Description: Tan pellets with little or no odor.

Manufacturer: **Emergency Telephone** Clift Industries, Inc. CHEMTREC PO Box 471578 800-424-9300

Charlotte, NC 28247 704-752-0031

Hazards Identification

Classification: Acute toxicity, Oral, Dermal, Inhalation Category 5

Eye Irritation, Category 2B

Signal Word: Warning!

H303+H313 Maybe harmful if swallowed, in contact with **Hazard Statement:**

+H333skin or if inhaled. H320 Causes eye irritation.

Precautionary P264 **Statements Prevention**

Wash hands thoroughly after handling. IF INHALED: Remove victim to fresh air and P304 + 340Precautionary

Statements Response:

keep at rest in a position comfortable for

P301+330+ IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303+352 IF ON SKIN: Wash with plenty of soap and

P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue Rinsing.

3. Composition/Information on Ingredients

Ingredients CAS No. Weight % Neutralizer <50% Proprietary Absorbent Proprietary < 50%

First Aid Measures

Eye Contact: Flush eyes for fifteen minutes with water. If irritation persists, contact a

Skin Contact: Wash with soap and water. If irritation persists, contact a physician. Inhalation

Not normally required. Move to fresh air. If symptoms persist, get

medical attention.

Ingestion: Not normally required. Contact a physician if ingested.

Fire Fighting Measures

Unused form: Dry chemical, water fog, Carbon dioxide, sand. Extinguishing Media:

Used form: That which is compatible to liquid (s) absorbed.

Special Fire Fighting Procedures: None required.

Hazardous Combustion Products: Carbon oxides.

Unusual Hazards: None expected. Refer to absorbed liquid(s) MSDS(s). Extreme heat

may cause pressure to build up inside drum.

Accidental Release Measures

Spill or Leak Procedures: Use proper PPE as outlined in Section 8. Contain, retrieve spilled materials (absorb, pump, vacuum). Vacuuming or wet mopping may be used to avoid dust dispersal.

Handling and Storage

Handling Precautions: Use with adequate ventilation. Avoid contact with skin and eyes. Avoid breathing dust. Keep container tightly sealed when not in use.

Storage Precautions: Room temperature. Store in cool, dry area at room temperature. Prevent product from freezing. Shelf life: >1 year, in original sealed package

General: Refer to absorbed liquid(s) MSDS(s). Follow label directions carefully. Make sure all containers are labeled properly. The container can be hazardous when empty. Follow label cautions even after the container is empty. Do not re-use empty containers for food, clothing or products for human or animal consumption, or where skin contact can

8. Exposure Controls/Personal Protection

Engineering Controls: Use adequate ventilation to keep airborne concentrations low.

PERSONAL PROTECTION

Safety goggles or glass with side shields

Respirator: NIOSH/MSHA approved respirator when ventilation is inadequate.

Gloves: Impervious gloves.

Maintain eyewash and safety shower in work area. Other:

OSHA HAZARDOUS COMPONENTS

(29 CFR 1910.1200):

EXPOSURE LIMIT 8 hrs TWA (ppm)

OSHA PEL ACGIH TLV

Nuisance Dust:

Total 10 mg/m^3 15 mg/m^3 Respirable 3 mg/m^3 5 mg/m^3

9. Physical/Chemical Characteristics

Appearance: Tan pellets

Odor: Bland pH: N/A

Melting Point/Freezing Point: Not available. Initial Boiling Point and Range: Not Available. Flash Point: Equal to water. Method: Not available.

Evaporation Rate: Not established. Flammable Limits: Not applicable.

Conditions of Flammability: Non-flammable. Explosive Properties: Not established.

Vapor Pressure: Not available. Vapor Density: Not established. Relative Density (H2O =1): 0.695 Solubility in Water: N/A

VOC (g/L): 0

10. Stability and Reactivity Data

General: This is a stable material

Conditions of Reactivity: Reacts with sodium hypochlorite or calcium

hypochlorite. Incompatible Materials: Strong oxidants Conditions to Avoid: Dust generation.

Hazardous Decomposition Oxides of carbon and nitrogen, ammonia.

Hazardous Polymerization: Will not occur.

11. Toxicological Data

LD50: Not established LC50: Not established

Carcinogenicity: IRAC: None

National Toxicology Program: None

OSHA: None

California Prop 65: No listed ingredient

Reproduction Toxicity: Not available Teratogenicity: Not available Mutagenicity Not available Synergistic Products: Not available

Ecological Data

No data available

Disposal Considerations

Waste Disposal Method: Observe all federal, state and local regulations.

Transport Information

D.O.T. (Department of Transportation): Proper Shipping Name: Not regulated Hazard Class: Not regulated Identification Number: Not applicable

Regulatory Information

CERCLA (Comprehensive Environmental Response Compensation and Liability

Act): No Reportable Quantity

OSHA Hazard Communication Standard, 28 CFR 1910.1200: Nuisance dust

SARA Title III (Superfund Amendments and Reauthorization Act): Not covered

TSCA (Toxic Substances Control Act): All ingredients are listed.

OTHER INFORMATION: 16.

NFPA Hazard Rating: Health - 1 None → Extreme Fire - 0 $0 \rightarrow 4$ Reactivity - 0 PPE – B

Reason for Issue: GHS changes to Sections 2 & 3.

Prepared by: J. Pickett Approved by: C. Matthews Approval Date of Issue: 1/4/2017 Approval Date: 1/4/2017

Product and Company Identification

Product Identifier: HF Acid Eater Neutralizing Absorber

General Use: HF Acid Eater is a loose absorbent that will absorb and solidify

hydrofluoric acid.

Product Description: Tan, loose pellets with little or no odor.

Manufacturer: **Emergency Telephone** Clift Industries, Inc. CHEMTREC PO Box 471578 800-424-9300

Charlotte, NC 28247 704-752-0031

Hazards Identification

Classification: Acute toxicity, Oral, Dermal, Inhalation Category 5

Eye Irritation, Category 2B

Signal Word: Warning!

Hazard Statement: H303+H313 Maybe harmful if swallowed in contact with

+H333skin or if inhaled. H320 Causes eye irritation.

Precautionary P264 Wash hands thoroughly after handling. **Statements Prevention:**

P304 + 340IF INHALED: Remove victim to fresh air and Precautionary

Statements Response: keep at rest in a position comfortable for breathing

P301+330+ IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting. IF ON SKIN: Wash with plenty of soap and P303+352

P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue Rinsing.

3. Composition/Information on Ingredients

Ingredients CAS No. Weight % Neutralizing Agent Proprietary Absorbing Agent Proprietary 34%

First Aid Measures

Eye Contact: Flush eyes for fifteen minutes with water. If irritation persists, contact a

Skin Contact: Wash with soap and water. If irritation persists, contact a physician.

Inhalation: Not normally required. Move to fresh air. If symptoms persist, get

Ingestion: Not normally required. Contact a physician if ingested.

Fire Fighting Measures

Extinguishing Media: Unused form: Dry chemical, water fog, Carbon dioxide, sand.

Used form: That which is compatible to liquid (s) absorbed.

Special Fire Fighting Procedures: None required. Hazardous Combustion Products: Carbon oxides

Unusual Hazards: None expected. Refer to absorbed liquid(s) MSDS(s). Extreme heat

may cause pressure to build up inside drum.

6. **Accidental Release Measures**

Spill or Leak Procedures: Use proper PPE as outlined in Section 8. Contain, retrieve spilled materials (absorb, pump, vacuum). Vacuuming or wet mopping may be used to avoid dust dispersal.

Handling and Storage

Handling Precautions: Use with adequate ventilation. Avoid contact with skin and eyes. Avoid breathing dust. Keep container tightly sealed when not in use.

Prevent product from freezing. Shelf life: >1 year, in original sealed package.

Storage Precautions: Room temperature. Store in cool, dry area at room temperature.

General: Refer to absorbed liquid(s) MSDS(s). Follow label directions carefully. Make sure all containers are labeled properly. The container can be hazardous when empty. Follow label cautions even after the container is empty. Do not re-use empty containers for food, clothing or products for human or animal consumption, or where skin contact can

8. Exposure Controls/Personal Protection

Engineering Controls: Use adequate ventilation to keep airborne concentrations low.

PERSONAL PROTECTION

Safety goggles or glass with side shields

Respirator: NIOSH/MSHA approved respirator when ventilation is inadequate.

Gloves: Impervious gloves.

Maintain eyewash and safety shower in work area.

OSHA HAZARDOUS COMPONENTS

(29 CFR 1910.1200):

EXPOSURE LIMIT 8 hrs TWA (ppm) OSHA PEL ACGIH TLV

Nuisance Dust: 10 mg/m^3 Total 15 mg/m^3 Respirable 3 mg/m^3 5 mg/m²

9. Physical/Chemical Characteristics

Appearance: Tan pellets

Odor: Bland pH: N/A

Melting Point/Freezing Point: Not available. Initial Boiling Point and Range: Not Available. Flash Point: Equal to water. Method: Not available.

Evaporation Rate: Not established. Flammable Limits: Not applicable.

Conditions of Flammability: Non-flammable. Explosive Properties: Not established.

Vapor Pressure: Not available. Vapor Density: Not established. Relative Density (H2O =1): 0.695 Solubility in Water: N/A

VOC (g/L): 0

10. Stability and Reactivity Data

General: This is a stable material

Conditions of Reactivity: Reacts with sodium hypochlorite or calcium

hypochlorite. Incompatible Materials: Strong oxidants Conditions to Avoid: Dust generation.

Hazardous Decomposition Oxides of carbon and nitrogen, ammonia.

Hazardous Polymerization: Will not occur.

11. Toxicological Data

LD50: Not established LC50: Not established

Carcinogenicity: IRAC: None

National Toxicology Program: None

OSHA: None

California Prop 65: No listed ingredient

Reproduction Toxicity: Not available Teratogenicity: Not available Mutagenicity Not available Synergistic Products: Not available

Ecological Data

No data available

Disposal Considerations

Waste Disposal Method: Observe all federal, state and local regulations.

Transport Information

D.O.T. (Department of Transportation): Proper Shipping Name: Not regulated Not regulated Identification Number: Not applicable

Regulatory Information

CERCLA (Comprehensive Environmental Response Compensation and Liability

Act): No Reportable Quantity

OSHA Hazard Communication Standard, 28 CFR 1910.1200: Nuisance dust

SARA Title III (Superfund Amendments and Reauthorization Act): Not covered

TSCA (Toxic Substances Control Act): All ingredients are listed.

OTHER INFORMATION: 16.

NFPA Hazard Rating: Health - 1 None → Extreme Fire - 0 \rightarrow 4 Reactivity - 0 PPE – B

Reason for Issue: GHS changes to Sections 2 & 3.

Prepared by: J. Pickett Approved by: C. Matthews Approval Date of Issue: 1/4/2017 Approval Date: 1/4/2017

Product and Company Identification

Product Identifier: Ultimate Acid Eater Acid Absorber & Neutralizer

General Use: Designed to neutralize and absorb a variety of acids, except hydrofluoric

Manufacturer: Clift Industries, Inc. PO Box 471578 Charlotte, NC 28247 704-752-0031

Emergency Telephone CHEMTREC

800-424-9300

Hazards Identification

Classification: Acute toxicity, Oral, Dermal, Inhalation Category 5

Eye Irritation, Category 2B

Signal Word: Warning!

H303+H313 Maybe harmful if swallowed, in contact with **Hazard Statement:**

+H333 skin or if inhaled.

H320 Causes eye irritation Precautionary

P264 Wash hands thoroughly after handling. **Statements Prevention:**

P304 + 340 IF INHALED: Remove victim to fresh air and Precautionary **Statements Response:**

keep at rest in a position comfortable for breathing

IF SWALLOWED: Rinse mouth. Do NOT P301+330+

induce vomiting.

P303+352 IF ON SKIN: Wash with plenty of soap and

P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue Rinsing.

3. Composition/Information on Ingredients

Ingredients	CAS No.	Weight %
Absorbent	Proprietary	50
Neutralizer	Proprietary	50

First Aid Measures

Flush eyes for fifteen minutes with water. If irritation persists, contact a Eye Contact:

physician.

Skin Contact: Wash with soap and water. If irritation persists, contact a physician. Inhalation Not normally required. Move to fresh air. If symptoms persist, get

medical attention.

Ingestion: Not normally required. Contact a physician if ingested.

Fire Fighting Measures

Unused form: Water spray, dry chemical or carbon dioxide. **Extinguishing Media:**

Used form: That which is compatible to liquid (s) absorbed.

Special Fire Fighting Procedures: None required.

Hazardous Combustion Products: Carbon monoxide and/or carbon dioxide.

Unusual Hazards: None expected. Refer to absorbed liquid(s) MSDS(s). Extreme heat

may cause pressure to build up inside drum.

Accidental Release Measures

Spill or Leak Procedures: If material is unused, collect and recover for reuse. Wear protective equipment. Not a listed hazardous waste.

Handling and Storage

Handling Precautions: Avoid contact with skin and eyes. Do not swallow. Wash hands thoroughly after handling.

Storage Precautions: Store in cool, dry area. Prevent product from freezing. Keep out of the reach of children. Shelf life: 3 years as long as the product is kept in a clean, dry environment away from direct sunlight and/or excessive heat.

General: Refer to absorbed liquid(s) MSDS(s). Follow label directions carefully. Make sure all containers are labeled properly. The container can be hazardous when empty. Follow label cautions even after the container is empty. Do not re-use empty containers for food, clothing or products for human or animal consumption, or where skin contact can occur.

8. Exposure Controls/Personal Protection

Engineering Controls: Use adequate ventilation to keep airborne concentrations low.

PERSONAL PROTECTION

Safety goggles or glass with side shields

Respirator: NIOSH/MSHA approved respirator when ventilation is inadequate.

Gloves: Impervious gloves.

Maintain eyewash and safety shower in work area.

OSHA HAZARDOUS COMPONENTS

(29 CFR 1910.1200):

EXPOSURE LIMIT 8 hrs. TWA (ppm) OSHA PEL ACGIH TLV

None

9. Physical/Chemical Characteristics

Appearance: Tan Pellets

Odor: Bland pH: N/A

Melting Point/Freezing Point: 32° F (0° C) Initial Boiling Point and Range: 212° F (100° C) Flash Point: None Method: Not available.

Evaporation Rate: Not established. Flammable Limits: Not applicable.

Conditions of Flammability: Non-flammable. Explosive Properties: Not established.

Vapor Pressure: Not available. Vapor Density: Not established. Relative Density (H2O =1): 0.695

Solubility in Water: N/A

VOC (g/L): 0

10. Stability and Reactivity Data

This is a stable material General:

Conditions of Reactivity: Reacts with sodium hypochlorite or calcium

hypochlorite. **Incompatible Materials:** Strong oxidants Conditions to Avoid: Excessive heat or flame. Not established.

Hazardous Decomposition: Hazardous Polymerization: Will not occur

11. Toxicological Data

LD50: Not established. Not established. LC50:

Carcinogenicity: IRAC: None

National Toxicology Program: None

OSHA: None

California Prop 65: No listed ingredient

Reproduction Toxicity: Not available Teratogenicity: Not available Not available Mutagenicity: Synergistic Products: Not available

Ecological Data

No data available

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state and local regulations.

Transport Information

D.O.T. (Department of Transportation): Proper Shipping Name: Non-hazardous liquid Hazard Class: Not regulated Identification Number: Not applicable

Regulatory Information

CERCLA (Comprehensive Environmental Response Compensation and Liability Act): No Reportable Quantity

OSHA Hazard Communication Standard, 28 CFR 1910.1200: No hazardous ingredient.

SARA Title III (Superfund Amendments and Reauthorization Act): No listed

TSCA (Toxic Substances Control Act): All ingredients are listed.

OTHER INFORMATION:

NFPA Hazard Rating: Health - 1 None → Extreme Fire - 0 $0 \rightarrow 4$ Reactivity - 0PPE - B

Reason for Issue: GHS changes to Sections 2 & 3.

Prepared by: J. Pickett Approved by: C. Matthews Approval Date of Issue: 1/4/2017 Approval Date: 1/4/2017