Safety Data Sheet

SDS Revision Date:

04/02/2015



## 1. Identification

1.1. Product identifier Product Identity Alternate Names

SURE JOINT PIPE COMPOUND

10-405, 10-415, 10-425, 10-430, 10-435 Blended Formula,

1.2. Relevant identified uses of the substance or mixture and uses advised againstIntended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet Company Name

ComStar International Inc. 20-45 128th Street,

College Point, NY 11356

718-445-7900 800-328-0142 Fax: 718-353-5998

Telephone No.

2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



#### [Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray. P271 Use only outdoors or in a well-ventilated area.

#### [Response]:

P312: Call a POISON CENTER or doctor / physician if you feel unwell. P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing. [Storage]: No GHS storage statements



#### [Disposal]:

No GHS disposal statements

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations        | Weight % | GHS Classification                               | Notes  |  |
|---|----------|--|--------|--|
| ZINC OXIDE<br>CAS#: 1314-13-2           | <5       | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 | [1][2] |  |
| ZINC DUST<br>CAS#: 7440-66-6            | <5       | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 | [1][2] |  |
| MARINE OIL<br>CAS#: 68389-85-5          | <5       | Not Classified                                   | [1]    |  |
| OXYALKYLENE POLYMER<br>CAS#: 25322-68-3 | <10      | Eye irritation 2B<br>Skin irritation 3           | [1][2] |  |
| MICA<br>CAS#: 12001-26-2                | Balance  | Not Classified                                   | [1]    |  |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance. \*The full texts of the phrases are shown in Section 16.

## 4. First aid measures

#### 4.1. Description of first aid measures

| General                | In all cases of doubt, or when symptoms persist, seek medical attention.<br>Never give anything by mouth to an unconscious person.  |
|------------------------|---|
| Inhalation             | Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth. |
| Eyes                   | Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.  |
| Skin                   | Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.   |
| Ingestion              | If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.  |
| 4.2. Most important sy | mptoms and effects, both acute and delayed  |
| Overview               | No specific symptom data available.<br>See section 2 for further details.   |
| Inhalation             | Harmful if inhaled.   |

04/02/2015

SDS Revision Date:

04/02/2015



## 5. Fire-fighting measures

#### 5.1. Extinguishing media

Water fog, C02, dry chemical, universal foams

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

#### 5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

#### ERG Guide No. ---

## 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

## 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Preventation of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizing agents, alkali metals

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### Exposure

## Safety Data Sheet SURE JOINT PIPE COMPOUND SDS Revision Date:

ComStar

04/02/2015

| CAS No.              | Ingredient          | Source   | Value                |
|----------------------|---------------------|----------|----------------------|
| 1314-13-2 ZINC OXIDE | ZINC OXIDE          | OSHA     | 2 mg/m3              |
|                      |                     | ACGIH    | 2 mg/m3              |
|                      |                     | NIOSH    | No Established Limit |
|                      |                     | Supplier | No Established Limit |
| 7440-66-6            | ZINC DUST           | OSHA     | 2 mg/m3              |
|                      |                     | ACGIH    | 2 mg/m3              |
|                      |                     | NIOSH    | No Established Limit |
|                      |                     | Supplier | No Established Limit |
| 68389-85-5           | MARINE OIL          | OSHA     | No Established Limit |
|                      |                     | ACGIH    | No Established Limit |
|                      |                     | NIOSH    | No Established Limit |
|                      |                     | Supplier | No Established Limit |
| 25322-68-3           | OXYALKYLENE POLYMER | OSHA     | 2 mg/m3              |
|                      |                     | ACGIH    | 2 mg/m3              |
|                      |                     | NIOSH    | No Established Limit |
|                      |                     | Supplier | No Established Limit |
| 12001-26-2           | MICA                | OSHA     | 2 mg/m3              |
|                      |                     | ACGIH    | 2 mg/m3              |
|                      |                     | NIOSH    | No Established Limit |
|                      |                     | Supplier | No Established Limit |
|                      |                     |          |                      |
|                      |                     |          |                      |
|                      |                     |          |                      |

#### Carcinogen Data

| CAS No.                        | Ingredient | Source | Value  |  |
|--------------------------------|------------|--------|--|--|
| 1314-13-2 ZINC OXIDE           |            | OSHA   | Select Carcinogen: No  |  |
|                                |            | NTP    | Known: No; Suspected: No   |  |
|                                |            | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |  |
| 7440-66-6                      | ZINC DUST  | OSHA   | Select Carcinogen: No  |  |
|                                |            | NTP    | Known: No; Suspected: No   |  |
|                                |            | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |  |
| 68389-85-5 MARINE OIL          | MARINE OIL | OSHA   | Select Carcinogen: No  |  |
|                                |            | NTP    | Known: No; Suspected: No   |  |
|                                |            | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |  |
| 25322-68-3 OXYALKYLENE POLYMER |            | OSHA   | Select Carcinogen: No  |  |
|                                |            | NTP    | Known: No; Suspected: No   |  |
|                                |            | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |  |
| 12001-26-2 MICA                |            | OSHA   | Select Carcinogen: No  |  |
|                                |            | NTP    | Known: No; Suspected: No   |  |
|                                |            | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |  |

## Safety Data Sheet SURE JOINT PIPE COMPOUND

SDS Revision Date:



| 04/02/2015 |
|------------|
|            |

| 8.2. Exposure controls       |  |  |  |  |
|------------------------------|--|--|--|--|
| Respiratory                  | If engineering controls do not maintain airborne concentrations to an acceptable level, a NIOSH approved respirator must be worn.  |  |  |  |
|                              | Respirator Type: Organic vapor. If respirators are used, a program should be instituted to assure Compliance with OSHA Standard 29 CFR 1910.134.   |  |  |  |
| Eyes                         | Safety glasses with side shields, goggles or face shield are recommended.  |  |  |  |
| Skin                         | Wear overalls to keep skin contact to a minimum.   |  |  |  |
| Engineering Controls         | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc. Recommended Decontamination Facilities: Eye bath, washing facilities. |  |  |  |
| Other Work Practices         | Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.  |  |  |  |
| See section 2 for further of | details [Prevention]:  |  |  |  |

## 9. Physical and chemical properties

| Appearance                                      | Grey Paste                            |
|---|---------------------------------------|
| Odor  | Slight                                |
| Odor threshold                                  | Not Measured                          |
| рН  | Not Measured                          |
| Melting point / freezing point                  | Not Measured                          |
| Initial boiling point and boiling range         | 370 F/188 C                           |
| Flash Point                                     | None                                  |
| Evaporation rate (Ether = 1)                    | Not Measured                          |
| Flammability (solid, gas)                       | Not Applicable                        |
| Upper/lower flammability or explosive limits    | Lower Explosive Limit: 135C(275F): NA |
|   | Upper Explosive Limit: 199C(390F): NA |
| Vapor pressure (Pa)                             | 6 mmHg (at 70 F)                      |
| Vapor Density                                   | Not Measured                          |
| Specific Gravity                                | > 2 (H20 = 1)                         |
| Solubility in Water                             | Complete                              |
| Partition coefficient n-octanol/water (Log Kow) | Not Measured                          |
| Auto-ignition temperature                       | (ASTM D 2155): NA                     |
| Decomposition temperature                       | Not Measured                          |
|   |                                       |

## Safety Data Sheet

SURE JOINT PIPE COMPOUND SDS Revision Date:

ComStar

04/02/2015

| Viscosity (cSt)                     |
|-------------------------------------|
| Volatiles (% by weight)             |
| Octanol/Water Partition Coefficient |
| 9.2. Other information              |
| No other relevant information.      |

25C/77F: NA NA NA

## **10. Stability and reactivity**

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

Strong Oxidizers

#### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

## 11. Toxicological information

#### Acute toxicity

| Ingredient                       | Oral LD50,<br>mg/kg  | Skin LD50,<br>mg/kg    | Inhalation<br>Vapor LC50,<br>mg/L/4hr | Inhalation<br>Dust/Mist LC50,<br>mg/L/4hr | Inhalation<br>Gas LC50,<br>ppm |
|----------------------------------|----------------------|------------------------|---------------------------------------|---|--------------------------------|
| ZINC OXIDE (1314-13-2)           | >5000 mg/kg          | No data<br>available   | No data<br>available                  | No data<br>available                      | No data<br>available           |
| ZINC DUST (7440-66-6)            | >2,000 mg/kg         | No data<br>available   | >2,000 mg/kg                          | No data<br>available                      | No data<br>available           |
| MARINE OIL (68389-85-5)          | No data<br>available | No data<br>available   | No data<br>available                  | No data<br>available                      | No data<br>available           |
| OXYALKYLENE POLYMER (25322-68-3) | 32,000 mg/kg<br>Rat  | >20,000mg/kg<br>Rabbit | >100 mg/L                             | No data<br>available                      | No data<br>available           |
| MICA (12001-26-2)                | No data<br>available | No data<br>available   | No data<br>available                  | No data<br>available                      | No data<br>available           |
|                                  |                      |                        |                                       |   |                                |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification          | Category | Hazard Description |
|-------------------------|----------|--------------------|
| Acute toxicity (oral)   |          | Not Applicable     |
| Acute toxicity (dermal) |          | Not Applicable     |

### Safety Data Sheet SURE JOINT PIPE COMPOUND SDS Revision Date:



04/02/2015

| Acute toxicity (inhalation)   | <br>Not Applicable |
|-------------------------------|--------------------|
| Skin corrosion/irritation     | <br>Not Applicable |
| Serious eye damage/irritation | <br>Not Applicable |
| Respiratory sensitization     | <br>Not Applicable |
| Skin sensitization            | <br>Not Applicable |
| Germ cell mutagenicity        | <br>Not Applicable |
| Carcinogenicity               | <br>Not Applicable |
| Reproductive toxicity         | <br>Not Applicable |
| STOT-single exposure          | <br>Not Applicable |
| STOT-repeated exposure        | <br>Not Applicable |
| Aspiration hazard             | <br>Not Applicable |

## 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### **Aquatic Ecotoxicity**

| Ingredient                       | 96 hr LC50 fish,<br>mg/l | 48 hr EC50 crustacea,<br>mg/l | ErC50 algae,<br>mg/l |
|----------------------------------|--------------------------|-------------------------------|----------------------|
| ZINC OXIDE (1314-13-2)           | 1.1 to 2.5 ppm           | 0.098 mg/L                    | 0.042 mg/L           |
| ZINC DUST (7440-66-6)            | 0.41 mg/L                | 0.139-0.908                   | 0.11 - 0.271         |
| MARINE OIL (68389-85-5)          | Not Available            | Not Available                 | Not Available        |
| OXYALKYLENE POLYMER (25322-68-3) | 87,209 mg/l              | 53,484 mg/                    | Not Available        |
| MICA (12001-26-2)                | Not Available            | Not Available                 | Not Available        |
|                                  |                          |                               |                      |

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

13.1. Waste treatment methods

## Safety Data Sheet SURE JOINT PIPE COMPOUND

SDS Revision Date:

ComStar

04/02/2015

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

|                                     | DOT (Domestic Surface<br>Transportation) | IMO / IMDG (Ocean<br>Transportation)              | ICAO/IATA                 |  |
|-------------------------------------|--|---|---------------------------|--|
| 14.1. UN number                     | Not Applicable                           | Not Regulated                                     | Not Regulated             |  |
| 14.2. UN proper shipping<br>name    | Not Regulated                            | Not Regulated                                     | Not Regulated             |  |
| 14.3. Transport hazard<br>class(es) | <b>DOT Hazard Class:</b> Not Applicable  | IMDG: Not Applicable<br>Sub Class: Not Applicable | Air Class: Not Applicable |  |
| 14.4. Packing group                 | Not Applicable                           | Not Applicable                                    | Not Applicable            |  |
| 14.5. Environmental hazards         |  |   |                           |  |
| IMDG Ma                             | Marine Pollutant: No                     |   |                           |  |

14.6. Special precautions for user

No further information

## 15. Regulatory information

| Regulatory Overview                    | The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. |  |  |
|--|---|--|--|
| Toxic Substance<br>Control Act ( TSCA) | All components of this material are either listed or exempt from listing on the TSCA Inventory.                   |  |  |
| WHMIS Classification                   | Not Regulated   |  |  |
| US EPA Tier II Hazards                 | Fire: No  |  |  |
| Sudden Release of Pressure: No         |   |  |  |

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No

Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute. **EPCRA 302 Extremely Hazardous:** 

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### EPCRA 313 Extremely Hazardous:

ZINC OXIDE

ZINC DUST

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# Safety Data Sheet

SDS Revision Date:



04/02/2015

#### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### New Jersey RTK Substances (>1%):

ZINC OXIDE ZINC DUST MICA Pennsylvania RTK Substances (>1%): ZINC OXIDE

ZINC DUST

## **16. Other information**

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

# This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document