


KT2 – Key Product Dimensions & Features



Rotational Axis
Point of 360° rotation

Keyboard Tray
18.5x8.75"

8.75"

10.5"

18"

5.75"

18.5"

16"

Rail 16x5.75"
mounts to the underside of your desk

Stopper Screws
prevent KT2 from sliding off the rail

Keyboard Tray Angle Adjustment
Release the lever to tilt the typing angle

Mouse Pad Connection –
Connects to left and right sides of the keyboard tray panel

Keyboard Tray Height Adjustment
Squeeze the lever to raise/lower KT2. Release it to lock the height in place.


Rail
mounts to the underside of your desk

Stopper Screws
prevent KT2 from sliding off the rail

Mounting Holes
Insert screws to connect the Rail to the underside of your desk.

Keyboard Tray
18.5x8.75"

Mouse Pad Connection –
Holes to connect the mouse pad to the keyboard tray




Stopper Screws
prevent KT2 from sliding off the rail

Keyboard Tray Angle Adjustment
Release the lever to tilt the typing angle

Mouse Pad Connection –
Connects to left and right sides of the keyboard tray panel

Keyboard Tray Height Adjustment
Squeeze the lever to raise/lower KT2. Release it to lock the height in place.



Swivel Plate

- 5.5x5.5"
- Swivels 360°
- Has 2 plastic bumpers that slide in and out on the Rail

Keyboard Tray Height Adjustment
Squeeze the lever to raise/lower KT2. Release it to lock the height in place.

Rail
16x5.75"
Mounts to the underside of your desk by inserting screws through the 8 holes.

Stopper Screws
4 pcs, in each corner
Prevent KT2 from sliding off the rail

Keyboard Tray Angle Adjustment
Release the lever to tilt the typing angle

Mouse Pad Connection –
Connects to left and right sides of the keyboard tray panel