

Blue-Grip LL-301

DESCRIPTION AND GENERAL PROPERTIES

- **Material** Natural latex
- **Length (inches)** 12»-13» (depending on size)
- **Thickness (inches)** 0.045 (Hvy. Wt.)
- **Wrist** Scalloped cuff
- **Colour/Color** Blue
- **Interior finish** Textile support
- **Exterior finish** Non-slip grip
- **Size / EAN** 6 S 7 M 8 L 9 XL
- **Packaging** 1 pair/bag - 48 pairs/carton
- **Complementary information** - Guaranteed without silicone



PERFORMANCE RESULTS

Certification category 2



X1XXXX




3141

Legends



MECHANICAL HAZARDS EN 388

PERFORMANCE LEVELS



LOW CHEMICAL PROTECTION EN 374



MICRO-ORGANISMS EN 374




RADIOACTIVE CONTAMINATION EN 421



HEAT AND FIRE EN 407

PERFORMANCE LEVELS




SPECIFIC CHEMICAL PROTECTION EN 374

Letter Code	Chemical product
A	Methanol
B	Acetone
C	Acetonitrile
D	Dichloromethane
E	Carbon Disulfide
F	Toluene
G	Diethylamine
H	Tetrahydrofuran
I	Ethyl acetate
J	n-Heptane
K	Sodium hydroxide 40%
L	Sulphuric acid 96%



COLD HAZARDS EN 511

PERFORMANCE LEVELS



For more details: www.mapa-pro.com

MAPA[®]
PROFESSIONAL
www.mapa-pro.com

DESCRIPTION AND GENERAL PROPERTIES

- Freedom of movement, due to the anatomical shape and excellent comfort from the seamless textile support
- Good tear-resistance
- Good resistance to many diluted acids and bases

MAIN FIELDS OF USE

Aeronautics industry

- Work with composite materials (resins)

Food industry

- Handling frozen products
- Oyster farming
- Preparation and packaging

Glass industry

- Handling glass sheets

INSTRUCTIONS FOR USE

Instructions for use

- It is recommended to check that the gloves are suitable for the intended use, because the conditions of use at the workplace may differ from the «CE»-type tests.
- It is not recommended for persons sensitized to natural latex, dithiocarbamates and thiazoles to use these gloves.
- Put the gloves on dry, clean hands.
- Do not use the gloves in contact with a chemical for a duration in excess of the measured breakthrough time. Refer to the website www.mapa-pro.com or contact the MAPA Technical Customer Service (stc.mapaspontex@mapaspontex.fr) in order to know this breakthrough time. Use 2 pairs alternatively when in long duration contact with a solvent.
- Turn the cuff end down in order to prevent a hazardous chemical from dripping onto the arm.
- Inspect the gloves for cracks or snags before reusing them.

Storage conditions

Store the gloves in their original packaging protected from direct sunlight, far from heat sources or electric equipment.

Laundering conditions

Before taking off the gloves, clean them as appropriate :

- in use with a solvent (alcohol, etc...) : rub over with a dry cloth
 - in use with detergents, acids or alkalies : thoroughly rinse the gloves under running water, and rub over with a dry cloth
- Caution : inappropriate usage of the gloves or submitting them to a cleaning or laundering process which is not specifically recommended, can alter their performance levels.

Drying conditions

Ensure the inside of the gloves is dry before putting them on again.

Food contact US

FDA 21CFR 177.2600

LEGISLATION

This product is not classified as hazardous according to the directive 1999/45/EC of the European Parliament and of the Council.

This product does not contain any substances of very high concern according to the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).

- CE-Type Examination Certificate
0072/014/162/09/94/0012/EX01 09 94

- Issued by the notified body nr
0072

I.F.T.H. – Av. Guy de Collongue F-69134 ECULLY CEDEX