



Corporate Headquarters
10 Glenshaw Street, Orangeburg, NY 10962
Tel: 845.365.8200 • Fax: 845.365.8201
Toll-Free: 888.DYNAREX

Reviewed on 1/16/15

SAFETY DATA SHEET

SECTION 1. Product and Company Identification

PRODUCT NAME: Alcohol Preparation Pads/Swab

RECOMMENDED USE: Topical skin antiseptic

Product Code: AM-20200, 1113, 1114, 1116, PK-1114

Manufacturer's Name: Dynarex Corporation

Manufacturer's Address: 10 Glenshaw Street
Orangeburg, NY 10962

Emergency or Information Phone No.: 888-DYNAREX or 845-365-8200
At other times, contact the local Poison Control Center

SECTION 2. Hazards Identification

Main Hazards:

Highly flammable; irritation to eyes; vapor may cause drowsiness and dizziness

Absorption:

Eye contact; ingestion; inhalation; skin contact

Carcinogenic Status:

Not considered carcinogenic by NTP, IARC, and OSHA

Target Organs:

Central nerves system; skin; eye; liver; respiratory system

Health Effects:



Corporate Headquarters
10 Glenshaw Street, Orangeburg, NY 10962
Tel: 845.365.8200 • Fax: 845.365.8201
Toll-Free: 888.DYNAREX

Eyes – Liquid, mist or vapor will cause conjunctival irritation and possible corneal damage.

Skin – Repeated or prolonged contact may produce defatting of the skin leading to irritation and dermatitis. Liquid may be absorbed through the skin but not in toxicologically significant amounts, unless the contact area is large and under prolonged exposure.

Ingestion – Swallowing a small amount may have the effect of any of these symptoms: irritation of mouth, throat, digestive tract, and central nerves system depression.

Ingestion – A large dose may have the effect of any of these symptoms: dizziness, drowsiness, headache, mental confusion, nerve damage leading to numbness and muscle weakness, fall of blood pressure, liver damage, lung damage.

Inhalation – Exposure to vapor may have the effect of any of these symptoms: irritation of nose, throat and respiratory tract, central nerve system depression.

Inhalation – Exposure to vapor at high concentration may have the effects of any of these symptoms: dizziness, drowsiness, headache, mental confusion, lung damage, fall of blood pressure, liver damage, nerve damage leading to numbness and muscle weakness.

SECTION 3. Composition/information on Ingredients

Hazardous Ingredients (specific)	% Composition	CAS Number
Isopropyl Alcohol (2-Propanol)	70%	67-63-0



Corporate Headquarters
10 Glenshaw Street, Orangeburg, NY 10962
Tel: 845.365.8200 • Fax: 845.365.8201
Toll-Free: 888.DYNAREX

SECTION 4. First-aid measures

Eyes:

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

Skin:

Immediately flood the affected skin area with large quantity of water, preferably under a shower. Remove contaminated clothing and continue washing. Contaminated clothing should be washed thoroughly before re-use. Obtain medical attention if blistering of the skin occurs or redness persists.

Ingestion:

Do not induce vomiting. Have victim drink several large glasses of water to dilute the stomach contents. Give the victim oxygen if he/she has difficulty in breathing. Obtain medical attention immediately.

Inhalation:

Remove the victim from exposure immediately. Give the victim oxygen if he/she has difficulty in breathing. Obtain medical attention immediately.

MEDICAL PERSONNEL:

Monitor the victim for systemic secondary effects on liver and kidney functions. Support and treat as appropriate.

SECTION 5. Fire-fighting measures

Flash Point –	20°C/68°F
Boiling Point –	80°C/176°F
Extinguishing Media –	Dry Chemical or Alcohol Type Foam, Carbon Dioxide



Corporate Headquarters
10 Glenshaw Street, Orangeburg, NY 10962
Tel: 845.365.8200 • Fax: 845.365.8201
Toll-Free: 888.DYNAREX

Be aware of the possibility of re-ignition. Keep containers and surroundings cool with water spray.

Unusual Fire and Explosion Hazards –

Class 3 Flammability. Vapor can travel a considerable distance to a source of ignition and flashback. Flashback can occur if air temperature exceeds flash point. Be aware the possibility of re-ignition.

Special Fire Fighting Procedures –

Handle as Flammable Liquid. Use Respiratory Protection. Wear full protective clothing for Fire Fighting Personnel.

SECTION 6. Accidental release measures

- Flush spills with water.
- Contain and absorb using soil, sand, or other inert material.
- Vapor can accumulate in low areas. Consider the need for evacuation.
- Prevent the material from entering drains or water courses.

SECTION 7. Handling and storage

- Eliminate all sources of ignition. Store away from heat.
- Store in well ventilated area.
- Handle as flammable liquid. Follow local, state and federal regulations.
- Avoid inhaling vapor. Avoid contact with eyes, skin and clothing.
- Wear eye protection if splashing is expected.
- Wear appropriate protective clothing.
- Use respirator if exposure level is high when handling bulk liquid.
- Keep container tightly closed when not in use.



Corporate Headquarters
10 Glenshaw Street, Orangeburg, NY 10962
Tel: 845.365.8200 • Fax: 845.365.8201
Toll-Free: 888.DYNAREX

SECTION 8. Exposure controls/personal protection

- OSHA Occupation Exposure Standards PEL 400ppm (980mg/m³) 8h TWA
- UK EH40: OES 400ppm (980mg/m³) 8h TWA
- UK EH40: OES 500ppm (1225mg/m³) 15min TWA
- ACGIH: TLV 200ppm (980mg/m³) 8h TWA
- ACGIH: STEL 400ppm (1225mg/m³) 15min TWA
- Personal Protective Equipment
 - Gloves
 - Eye
 - Clothing

SECTION 9. Physical and chemical properties

Appearance – Liquid Saturated Towelette / Pad / Swab
Color – Clear
Odor – Alcohol
Vapor Density – 2.1 (Air = 1)
Viscosity (cSt) – 2.9 cps at <@2> °C

Evaporation Rate – Environmental Dependent
Water Solubility – Complete
Specific Gravity – 0.8405

SECTION 10. Stability and reactivity

Stability –	Stable under normal conditions
Conditions to Avoid –	None
Incompatibility –	None
Hazardous Decomposition or By-product –	Oxides of carbon
Polymerization –	Will Not Occur.



Corporate Headquarters
10 Glenshaw Street, Orangeburg, NY 10962
Tel: 845.365.8200 • Fax: 845.365.8201
Toll-Free: 888.DYNAREX

SECTION 11. Toxicological information

Acute Toxicity

- Low level of acute toxicity predicted.
- May be harmful by skin absorption.
- Oral LD50 (rat) 5045mg/kg.
- Dermal LD50 (rabbit) 12800mg/kg.
- Inhalation LCLO (rat) 1600ppm 4h.

Chronic Toxicity / Carcinogenicity

- Material not expected to cause long-term adverse health effects.
- Material not classifiable as to its carcinogenicity to humans (Group 3).
- Chronic / Sub-chronic studies resulted in adverse effects to:
 - Liver, spleen, biochemical effects, brain tissue degeneration, changes in reflex behavior, sensory nerve damage.

Genealogy Toxicity

- Material is not expected to cause any mutagenic effects.

Reproductive / Developmental Toxicity

- Material is not expected to cause reproductive or developmental health effects.
- Experimental studies in animals have provided some evidence of embryo / fetus toxicity and birth defects only at does producing marked maternal toxicity.

SECTION 12. Ecological information

- Mobility
- If released to soil, IPA is expected to have very high mobility
- Persistence / Degradability



Corporate Headquarters
10 Glenshaw Street, Orangeburg, NY 10962
Tel: 845.365.8200 • Fax: 845.365.8201
Toll-Free: 888.DYNAREX

- IPA is readily degraded in aerobic aqueous systems
- Bio-accumulation
- Low potential for bio-concentration in aquatic organisms

SECTION 13. Disposal considerations

- Transfer into suitable containers for recovery or disposal.
- Dispose in accordance with all applicable local and national regulations.
- Do not remove labels from container until the container has been cleaned.
- Do not cut, puncture or weld on or near the container.
- Do not incinerate closed containers.
- Empty containers may contain hazardous residues

SECTION 14. Transport information

- DOT CFR 172.101
- Not regulated per 49 CFR 173.4 Small Quantity Exemption

SECTION 15. Regulatory information

This product is compliant with the following:

- EU Label: Classification and labeling have been performed according to EU Directive 67/548/EEC and 99/45/EC including amendments
- EU Hazard Symbol and Indication of Danger
- F – Highly flammable
- Xi – Irritant
- R11 – Highly flammable
- R36 – Irritating to eyes
- R67 – Vapors may cause drowsiness and dizziness



Corporate Headquarters
10 Glenshaw Street, Orangeburg, NY 10962
Tel: 845.365.8200 • Fax: 845.365.8201
Toll-Free: 888.DYNAREX

- S2 – Keep out of reach of children
- S7 – Keep container tightly closed
- S16 – Keep away from sources of ignition – No smoking
- S24 / S25 – Avoid contact with skin and eyes
- S26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- US (Federal and State) Regulations and International Chemical Registration Laws TSCA listing
- This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Inventory
- This product does not contain any chemicals subject to EPA Title III of the SARA Listing in Sections 302 and 304
- All ingredients in this product are listed on the European Inventory of Existing Commercial Chemical Substance (EINECS Listing) or are exempted from listing
- All ingredients in this product are listed on the Canada Domestic Substance List (DSL Listing)

SECTION 16. Other information

Disclaimer:

This Safety Data Sheet, which takes into consideration the requirements of Directive 76/768/EC and subsequent amendments and Directive 1999/45/EC plus subsequent amendments, has been prepared in accordance with Directive (EC) 1907/2006. It is believed to be correct and corresponds to the latest scientific/technical knowledge but all data, instructions, recommendations and/or suggestions are made without guarantee. No warranty, expressed or implied, is made and Dynarex Corp. assumes no legal responsibility or liability resulting from its use.