

Version 2.0	Revision Date 07/18/2016	Print Date 05/09/2017
Version 2.0		1 mil Date 03/03/2017
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION		
Material name	: Enforcer(R) Instant Knockdown Was	sp & Hornet Killer

EPA ID Number:	40849-77	
Material number	: 0000000001045839	
Manufacturer or supplier's	etails	
Company	: Zep Commercial Sales & Service, a unit of Zep, Inc.	
Address	: 1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	: 404-352-1680	

# Emergency telephone numbers

For SDS Information		Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

# Recommended use of the chemical and restrictions on use

Recommended use	:	Pesticide
-----------------	---	-----------

## SECTION 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

Appearance	Aerosol containing a compressed gas
Colour	clear, white
Odour	slight, characteristic

#### **GHS** Classification

Flammable aerosols Gases under pressure	: Category 1 : Compressed gas
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated.
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces.</li> <li>No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> </ul>



Version 2.0	Revision Date 07/18/2016	Print Date 05/09/2017
	P251 Pressurized container: Do no use. Storage: P410 + P412 Protect from sunlight temperatures exceeding 50 °C/ 12	t. Do not expose to

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

## Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 70 - < 90
Solvent naphtha (petroleum), heavy aliph.	64742-96-7	>= 5 - < 10
carbon dioxide	124-38-9	>= 1 - < 5
m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate	52645-53-1	>= 0.1 - < 1
The exect percentages of disclosed substances	are withhold on trade	aparata

The exact percentages of disclosed substances are withheld as trade secrets.

# SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Show this safety data sheet to the doctor ir Do not leave the victim unattended.	) attendance.
lf inhaled	f unconscious place in recovery position ar advice. f symptoms persist, call a physician. Move to fresh air.	nd seek medical
In case of skin contact	Take off contaminated clothing and shoes in Wash contaminated clothing before re-use. If symptoms persist, call a physician. Wash off immediately with plenty of water f ninutes.	
In case of eye contact	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. f eye irritation persists, consult a specialist f in eyes, rinse with water for 15 minutes.	
If swallowed	Keep respiratory tract clear. Never give anything by mouth to an uncons f symptoms persist, call a physician. DO NOT induce vomiting unless directed to obysician or poison control center.	

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Alcohol-resistant foam
	Carbon dioxide (CO2)



Version 2.0	Revision Dat	te 07/18/2016	Print Date 05/09/2017
	Dry chemical Water spray		
Unsuitable extinguishing media	: High volume	water jet	
Specific hazards during firefighting	: Do not allow courses.	run-off from fire fighting	to enter drains or water
Hazardous combustion products	: Carbon dioxio Carbon mono Smoke		
Specific extinguishing methods	-	shing measures that are as and the surrounding e	
Further information	separately in	asons in case of fire, ca closed containments. spray to cool fully close	
Special protective equipment for firefighters	: Wear self-con necessary.	ntained breathing appar	atus for firefighting if

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Open drum carefully as content may be under pressure.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Do not breathe vapours or spray mist.</li> <li>Always replace cap after use.</li> </ul>
-------------------------	---

\_



# Enforcer(R) Instant Knockdown Wasp & Hornet Killer

Version 2.0	Revision Date 07/18/2016	Print Date 05/09/2017
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep exposure and temperatures over 50 °C. or throw into fire even after use. Do not red-hot objects. No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated p Electrical installations / working material the technological safety standards.</li> </ul>	Do not open by force spray on flames or place.
Materials to avoid	: Oxidizing agents	

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m3	NIOSH REL
		ST	30,000 ppm 54,000 mg/m3	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m3	OSHA Z-1
		TWA	10,000 ppm 18,000 mg/m3	OSHA P0
		STEL	30,000 ppm 54,000 mg/m3	OSHA P0

# Components with workplace control parameters

Hazardous components without workplace control parameters

Engineering measures	:	effective ventilation in all processing areas
Personal protective equipment	nt	
Respiratory protection	:	In case of insufficient ventilation, wear suitable respiratory equipment.
		Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection		Safety glasses Ensure that eyewash stations and safety showers are close to



Version 2.0	Revision Date 07/18/2016	Print Date 05/09/2017
	the workstation location.	
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous su	
Hygiene measures	: Wash hands before breaks and at When using do not eat or drink. When using do not smoke.	the end of workday.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a compressed gas
Colour	: clear, white
Odour	: slight, characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: 217.77 °C
Flash point	:
	Not applicable
Evaporation rate	: <1 n-Butyl Acetate = 1.0
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 0.093 hPa
Relative vapour density	: No data available
Density	: 0.8 g/cm3
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Heat of combustion	: 45.79 kJ/g



Version 2.0	Revision Date 07/18/2016	Print Date 05/09/2017
SECTION 10. STABILITY	AND REACTIVITY	
Reactivity	: Stable	

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides

# SECTION 11. TOXICOLOGICAL INFORMATION

**Potential Health Effects** 

Carcinogenicity:		
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Acute toxicity		
Components:		
Distillates (petroleum), hydr Acute oral toxicity	-	
Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h	
Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg	
Skin corrosion/irritation		
No data available		
Serious eye damage/eye irritation		

No data available

Respiratory or skin sensitisation



Version 2.0

Revision Date 07/18/2016

Print Date 05/09/2017

No data available

#### Germ cell mutagenicity

No data available

Carcinogenicity

No data available

#### Reproductive toxicity

No data available

Distillates (petroleum), hydrotreated light: Solvent naphtha (petroleum), heavy aliph.: carbon dioxide: m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### **Further information**

## Product:

Remarks: No data available

#### Components:

Distillates (petroleum), hydrotreated light: Remarks: No data available

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available Bioaccumulative potential

## Product:

Partition coefficient: n-	: Remarks: No data available
octanol/water	

#### Mobility in soil

No data available

Other adverse effects



Version 2.0	Revision Date 07/18/2016	Print Date 05/09/2017
No data available Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances	
Remarks	Warning: Manufactured with /\$/ harms public health and enviror ozone in the upper atmosphere	ment by destroying
Additional ecological information	: No data available	
<u>Components:</u> Distillates (petroleum), hyd	rotreated light :	
Additional ecological information	: No data available	

# SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications



Version 2.0

Revision Date 07/18/2016

Print Date 05/09/2017

noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

#### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION Causes moderate eye irritation. Harmful if swallowed. Harmful if inhaled. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. This pesticide is extremely toxic to fish and aquatic invertebrates. This product is highly toxic to bees and other pollinating insects exposed to direct treatment or residues on blooming crops or weeds. Observe label precautions.

## EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards :	Fire Hazard Sudden Release of Pressure Hazard
SARA 302 :	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 :	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.



Version 2.0

Revision Date 07/18/2016

Print Date 05/09/2017

1

4

2

# Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

# SECTION 16. OTHER INFORMATION

# Further information NFPA: Flammability Flammability The second second

# **OSHA - GHS Label Information:**

Hazard pictograms	
Signal w ord Hazard statements Precautionary statements	<ul> <li>Danger:</li> <li>Extremely flammable aerosol. Contains gas under pressure; may explode if heated.</li> <li>Prevention: Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.</li> <li>Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.</li> </ul>

Version:	2.0
Revision Date:	07/18/2016
Print Date:	05/09/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next



Version 2.0

Revision Date 07/18/2016

Print Date 05/09/2017

Dimension<sup>™</sup>, Petro<sup>®</sup>, i-Chem<sup>®</sup>, TimeMist<sup>®</sup>, TimeWick<sup>™</sup>, MicrobeMax<sup>®</sup>, Country Vet<sup>®</sup>, Konk<sup>®</sup>, Original Bike Spirits<sup>®</sup>, Blue Coral<sup>®</sup>, Black Magic<sup>®</sup>, Rain-X<sup>®</sup>, Niagara National<sup>™</sup>, FC Forward Chemicals<sup>®</sup>, Rexodan<sup>®</sup>, Mykal<sup>™</sup>, and a number of private labeled brands.